



12型热装基础柄

HOT- FITTING COLLET




Model	L	C	D	L1	L2	KGS
BT30-SLK12-35	35	38	\	13	\	0.4
BT30-SLK12-75	75	38	\	53	\	0.6
BT30-SLK12-100	100	38	\	78	\	0.8
BT40-SLK12-45	45	38	\	18	\	1.1
BT40-SLK12-75	75	38	\	48	\	1.4
BT40-SLK12-135	135	38	\	108	\	2
BT40-SLK12-165	165	38	\	138	\	2.3
BT40-SLK12-200	200	38	\	173	\	2.6
BT50-SLK12-75	75	38	65	25	12	4
BT50-SLK-105	105	38	65	25	12	4
BT50-SLK12-135	135	38	65	85	12	4.5
BT50-SLK12-180	180	38	65	130	12	5.5
BT50-SLK12-225	225	38	65	175	12	6.4
BT50-SLK12-315	315	38	65	225	52	11



Model	L	C	D	L1	L2	KGS
HSK50A-SLK12-75	75	38	\	49	\	0.8
HSK63A-SLK12-75	75	38	\	49	\	1
HSK63A-SLK12-135	135	38	\	109	\	1.7
HSK63A-SLK12-165	165	38	\	139	\	2.5
HSK63A-SLK12-180	180	38	\	154	\	2.7
HSK63A-SLK12-200	200	38	\	174	\	3.1
HSK63A-SLK12-225	225	38	\	199	\	3.3
HSK100A-SLK12-105	105	38	65	43	33	3.4
HSK100A-SLK12-135	135	38	65	73	33	4
HSK100A-SLK12-165	165	38	65	103	33	4.4
HSK100A-SLK12-180	180	38	65	118	33	5
HSK100A-SLK12-225	225	38	65	163	33	5.4
HSK100A-SLK12-315	315	38	65	253	33	6.4
HSK50E-SLK12-75	75	38	\	49	\	0.8

热装式筒夹 (ECS12细长型)


HOT-FITTING COLLET



Model	D	C	t	L	M	C1	H	KGS
ECS12-3-35	3	6	1.5	35	22	8.4	10	0.2
ECS12-3-55	3	6	1.5	55	42	10.5	10	0.2
ECS12-3-80	3	6	1.5	80	67	13.1	10	0.2
ECS12-3-110	3	6	1.5	110	97	16.2	10	0.2
ECS12-3.175-35	3.175	6.175	1.5	35	22	8.5	10	0.2
ECS12-3.175-55	3.175	6.175	1.5	55	42	10.6	10	0.2
ECS12-3.175-80	3.175	6.175	1.5	80	67	13.2	10	0.2
ECS12-3.175-110	3.175	6.175	1.5	110	97	16.4	10	0.2
ECS12-4-35	4	7	1.5	35	22	9.4	12	0.2
ECS12-4-55	4	7	1.5	55	42	11.5	12	0.2
ECS12-4-80	4	7	1.5	80	67	14.1	12	0.2
ECS12-4-110	4	7	1.5	110	97	17.2	12	0.2
ECS12-6-35	6	9	1.5	35	22	11.4	18	0.2
ECS12-6-55	6	9	1.5	55	42	13.5	18	0.2
ECS12-6-80	6	9	1.5	80	67	16.1	18	0.2
ECS12-6-110	6	9	1.5	110	97	19.2	18	0.2
ECS12-8-35	8	11	1.5	35	22	13.4	24	0.2
ECS12-8-55	8	11	1.5	55	42	15.5	24	0.2
ECS12-8-80	8	11	1.5	80	67	18.1	24	0.2
ECS12-8-110	8	11	1.5	110	97	21.2	24	0.2
ECS12-10-35	10	13	1.5	35	22	15.4	30	0.2
ECS12-10-55	10	13	1.5	55	42	17.5	30	0.2
ECS12-10-80	10	13	1.5	80	67	20.1	30	0.2
ECS12-10-110	10	13	1.5	110	97	23.2	30	0.3
ECS12-12-35	12	15	1.5	35	22	17.4	30	0.2
ECS12-12-55	12	15	1.5	55	42	19.5	30	0.2
ECS12-12-80	12	15	1.5	80	67	22.1	30	0.2
ECS12-12-110	12	15	1.5	110	\	\	30	0.2

热装式筒夹 (ECR12标准型)


HOT-FITTING COLLET



Model	D	C	t	L	M	C1	H	KGS
ECR12-3-35	3	7.5	2.25	35	22	9.9	10	0.2
ECR12-3-55	3	7.5	2.25	55	42	12	10	0.2
ECR12-3-80	3	7.5	2.25	80	67	14.6	10	0.2
ECR12-3-110	3	7.5	2.25	110	97	19.2	10	0.2
ECR12-4-35	4	10	3	35	22	12.4	12	0.2
ECR12-4-55	4	10	3	55	42	14.5	12	0.2
ECR12-4-80	4	10	3	80	67	17.1	12	0.2
ECR12-4-110	4	10	3	110	97	20.2	12	0.2
ECR12-4-130	4	10	3	130	117	22.3	12	0.2
ECR12-6-35	6	12	3	35	22	14.4	18	0.2
ECR12-6-55	6	12	3	55	42	16.5	18	0.2
ECR12-6-80	6	12	3	80	67	19.1	18	0.2
ECR12-6-110	6	12	3	110	97	22.2	18	0.2
ECR12-6-130	6	12	3	130	117	24.3	18	0.2
ECR12-8-35	8	14	3	35	22	16.4	24	0.2
ECR12-8-55	8	14	3	55	42	18.5	24	0.2
ECR12-8-80	8	14	3	80	67	21.1	24	0.2
ECR12-8-110	8	14	3	110	97	24.2	24	0.3
ECR12-8-130	8	14	3	130	\	\	24	0.3
ECR12-10-35	10	16	3	35	22	18.4	30	0.2
ECR12-10-55	10	16	3	55	42	20.5	30	0.2
ECR12-10-80	10	16	3	80	67	23.1	30	0.2
ECR12-10-110	10	16	3	110	\	\	30	0.3
ECR12-10-130	10	16	3	130	\	\	30	0.3
ECR12-12-35	12	20	4	35	22	22.4	30	0.2
ECR12-12-55	12	20	4	55	42	24.5	30	0.2
ECR12-12-80	12	20	4	80	\	\	30	0.2
ECR12-12-110	12	20	4	110	\	\	30	0.3
ECR12-12-130	12	20	4	130	\	\	30	0.3

ST12-SRN热胀延长杆 (薄壁型)


ST12-SRN SHRINK FIT EXTENSION



Model	D1	D2	D3	L1	L2	L3	L4	N
ST12-SRN04-110TE	12	4	11	110	9	12	\	\
ST12-SRN04-150TE	12	4	11	150	9	12	\	\

ST16-SRN/SRS热胀延长杆 (薄壁型)


ST16-SRN/SRS SHRINK FIT EXTENSION



Model	D1	D2	D3	L1	L2	L3	L4	N	M
ST16-SRN04-110TE	16	4	11	110	47	12	\	\	\
ST16-SRN04-150TE	16	4	11	150	47	12	\	\	\
ST16-SRN04-200TE	16	4	11	200	47	12	\	\	\
ST16-SRN06-110TE	16	6	12.5	110	33	18	\	\	\
ST16-SRN06-150TE	16	6	12.5	150	33	18	\	\	\
ST16-SRN06-200TE	16	6	12.5	200	33	18	\	\	\
ST16-SRS08-110TE	16	8	14	110	19	24	45	18	M6*1.0-L25
ST16-SRS08-150TE	16	8	14	150	19	24	45	18	M6*1.0-L25
ST16-SRS08-200TE	16	8	14	200	19	24	45	18	M6*1.0-L25

ST20-SRN/SRS热胀延长杆 (薄壁型)


ST20-SRN/SRS SHRINK FIT EXTENSION



Model	D1	D2	D3	L1	L2	L3	L4	N	M	FIG
ST20-SRN04-110TE	20	4	11	110	50	12	\	\	\	1
ST20-SRN04-150TE	20	4	11	150	85	12	\	\	\	2
ST20-SRSN4-200TE	20	4	11	200	85	12	\	\	\	2
ST20-SRN04-250TE	20	4	11	250	85	12	\	\	\	2
ST20-SRN06-110TE	20	6	12.5	110	50	18	\	\	\	1
ST20-SRN06-150TE	20	6	12.5	150	71	18	\	\	\	2
ST20-SRN06-200TE	20	6	12.5	200	71	18	\	\	\	2
ST20-SRN06-250TE	20	6	12.5	250	71	18	\	\	\	2
ST20-SRS08-110TE	20	8	14	110	57	24	145	18	M6*1.0-L25	2
ST20-SRS08-150TE	20	8	14	150	57	24	45	18	M6*1.0-L25	2
ST20-SRS08-200TE	20	8	14	200	57	24	45	18	M6*1.0-L25	2
ST20-SRS08-250TE	20	8	14	250	57	24	45	18	M6*1.0-L25	2
ST20-SRS10-110TE	20	10	16	110	38	30	52	18	M8*1.0-L25	2
ST20-SRS10-150TE	20	10	16	150	38	30	52	18	M8*1.0-L25	2
ST20-SRS10-200TE	20	10	16	200	38	30	52	18	M8*1.0-L25	2
ST20-SRS10-250TE	20	10	16	250	38	30	52	18	M8*1.0-L25	2
ST20-SRS12-110TE	20	12	18	110	19	36	60	22	M10*1.0-L35	2
ST20-SRS12-150TE	20	12	18	150	19	36	60	22	M10*1.0-L35	2
ST20-SRS12-200TE	20	12	18	200	19	36	60	22	M10*1.0-L35	2
ST20-SRS12-250TE	20	12	18	250	19	36	60	22	M10*1.0-L35	2

ST25-SRN/SRS热胀延长杆 (薄壁型)


ST25-SRN/SRS SHRINK FIT EXTENSION



Model	D1	D2	D3	L1	L2	L3	L4	N	M	FIG
ST25-SRN06-110TE	25	6	12.5	110	50	18	\	\	\	1
ST25-SRN06-150TE	25	6	12.5	150	90	18	\	\	\	1
ST25-SRN06-200TE	25	6	12.5	200	124	18	\	\	\	2
ST25-SRN06-250TE	25	6	12.5	250	124	18	\	\	\	2
ST25-SRS08-110TE	25	8	14	110	50	24	45	18	M6*1.0-L25	1
ST25-SRS08-150TE	25	8	14	150	90	24	45	18	M6*1.0-L25	1
ST25-SRS08-200TE	25	8	14	200	105	24	45	18	M6*1.0-L25	2
ST25-SRS08-250TE	25	8	14	250	105	24	45	18	M6*1.0-L25	2
ST25-SRS10-110TE	25	10	16	110	50	30	52	20	M8*1.0-L25	1
ST25-SRS10-150TE	25	10	16	150	85	30	52	20	M8*1.0-L25	2
ST25-SRS10-200TE	25	10	16	200	85	30	52	20	M8*1.0-L25	2
ST25-SRS10-250TE	25	10	16	250	85	30	52	20	M8*1.0-L25	2
ST25-SRS12-110TE	25	12	18	110	50	32	60	28	M10*1.0-L35	1
ST25-SRS12-150TE	25	12	18	150	67	32	60	28	M10*1.0-L35	2
ST25-SRS12-200TE	25	12	18	200	67	32	60	28	M10*1.0-L35	2
ST25-SRS12-250TE	25	12	18	250	67	32	60	28	M10*1.0-L35	2

HSK40A-EL热缩刀柄


HSK40A-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
HSK40A-ELSA3-65-M22	3	6	1.5	65	22	23	8.3	25	9	44
HSK40A-ELSA3-85-M42	3	6	1.5	85	42	23	10.4	25	9	64
HSK40A-ELSA3-100-M42	3	6	1.5	100	42	38	10.4	25	9	78
HSK40A-ELRA3-65-M22	3	7.5	2.25	65	22	23	9.3	25	9	44
HSK40A-ELRA3-85-M42	3	7.5	2.25	85	42	23	11.9	25	9	64
HSK40A-ELSA4-65-M22	4	7	1.5	65	22	23	9.3	25	12	44
HSK40A-ELSA4-85-M42	4	7	1.5	85	42	23	11.4	25	12	64
HSK40A-ELSA4-100-M42	4	7	1.5	100	42	38	11.4	25	12	78
HSK40A-ELRA4-65-M22	4	10	3	65	22	23	12.3	25	12	44
HSK40A-ELRA4-85-M42	4	10	3	85	42	23	14.4	25	12	64
HSK40A-ELSA6-65-M22	6	9	1.5	65	22	23	11.3	25	18	44
HSK40A-ELSA6-85-M42	6	9	1.5	85	42	23	13.4	25	18	64
HSK40A-ELSA6-100-M42	6	9	1.5	100	42	38	13.4	25	18	78
HSK40A-ELRA6-65-M22	6	12	3	65	22	23	14.3	25	18	44
HSK40A-ELRA6-85-M42	6	12	3	85	42	23	16.4	25	18	64
HSK40A-ELSA8-65-M22	8	11	1.5	65	22	23	13.3	25	24	44
HSK40A-ELSA8-85-M42	8	11	1.5	85	42	23	15.4	25	24	64
HSK40A-ELSA8-100-M42	8	11	1.5	100	42	38	15.4	25	24	78
HSK40A-ELRA8-65-M22	8	14	3	65	22	23	16.3	25	24	44
HSK40A-ELRA8-85-M42	8	14	3	85	42	23	18.4	25	24	64
HSK40A-ELSA10-65-M22	10	13	1.5	65	22	23	15.3	25	30	44
HSK40A-ELSA10-85-M42	10	13	1.5	85	42	23	17.4	25	30	64
HSK40A-ELSA10-100-M42	10	13	1.5	100	42	38	17.4	25	30	78
HSK40A-ELRA10-65-M22	10	16	3	65	22	23	18.3	25	30	44
HSK40A-ELRA10-90-M42	10	16	3	85	42	28	20.4	32	30	69
HSK40A-ELSA12-65-M22	12	15	1.5	65	22	23	17.3	25	30	44
HSK40A-ELSA12-90-M42	12	15	1.5	90	42	28	19.4	32	30	68
HSK40A-ELRA12-65-M22	12	20	4	65	22	23	22.3	25	30	44

HSK50A-EL热缩刀柄


HSK50A-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
HSK50A-ELSA3-95-M42	3	6	1.5	95	42	27	10.4	25	9	71
HSK50A-ELSA3-125-M42	3	6	1.5	125	42	57	10.4	25	9	101
HSK50A-ELRA3-75-M22	3	7.5	2.25	75	22	27	9.8	25	9	51
HSK50A-ELRA3-95-M42	3	7.5	2.25	95	42	27	11.9	25	9	71
HSK50A-ELRA3-125-M42	3	7.5	2.25	125	42	57	11.9	25	9	101
HSK50A-ELSA4-95-M42	4	7	1.5	95	42	27	11.4	25	12	71
HSK50A-ELSA4-125-M42	4	7	15	125	42	57	11.4	25	12	101
HSK50A-ELRA4-75-M22	4	10	3	75	22	27	12.3	25	12	51
HSK50A-ELRA4-95-M42	4	10	3	95	42	27	14.4	25	12	71
HSK50A-ELRA4-125-M42	4	10	3	125	42	57	14.4	25	12	101
HSK50A-ELSA6-95-M42	6	9	1.5	95	42	27	13.4	25	18	71
HSK50A-ELSA6-125-M42	6	9	15	125	42	57	13.4	25	18	101
HSK50A-ELRB6-75-M22	6	14	4	75	22	27	16.3	32	18	50
HSK50A-ELRB6-95-M42	6	14	4	95	42	27	18.4	32	18	70
HSK50A-ELRB6-125-M42	6	14	4	125	42	57	18.4	32	18	100
HSK50A-ELSA8-95-M42	8	11	1.5	95	42	27	15.4	25	24	71
HSK50A-ELSA8-125-M42	8	11	1.5	125	42	57	15.4	25	24	101
HSK50A-ELRB8-75-M22	8	18	5	75	22	27	20.3	32	24	50
HSK50A-ELRB8-95-M42	8	18	5	95	42	27	22.4	32	24	70
HSK50A-ELRB8-125-M42	8	18	5	125	42	57	22.4	32	24	100
HSK50A-ELSA10-95-M42	10	13	1.5	95	42	27	17.4	25	30	71
HSK50A-ELSA10-125-M42	10	13	1.5	125	42	57	17.4	25	30	101
HSK50A-ELRB10-75-M22	10	22	6	75	22	27	24.3	32	30	50
HSK50A-ELRB10-95-M42	10	22	6	95	42	27	26.4	32	30	70
HSK50A-ELRB10-125-M42	10	22	6	125	42	57	26.4	32	30	100
HSK50A-ELRB12-75-M22	12	26	7	75	22	27	28.3	42	30	52
HSK50A-ELRB12-95-M42	12	26	7	95	42	27	30.4	42	30	72
HSK50A-ELRB12-125-M42	12	26	7	125	42	57	30.4	42	30	98
HSK50A-ELRB16-75-M22	16	32	8	75	22	27	34.3	42	32	52
HSK50A-ELRB16-105-M22	16	32	8	105	22	57	34.3	42	32	78
HSK50AM-ELRB20-75-M22	20	38	9	75	22	27	40.3	49	40	51
HSK50AM-ELRB20-105-M22	20	38	9	105	22	57	40.3	49	40	76

HSK63A-EL热缩刀柄

HSK63A-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK63A-ELSA3-95-M42	3	6	1.5	95	42	27	\	10.4	25	\	9	70	1
HSK63A-ELSA3-120-M67	3	6	1.5	120	67	27	\	13	25	\	9	95	1
HSK63A-ELSA3-150-M97	3	6	1.5	150	97	27	\	16.2	25	\	9	125	1
HSK63A-ELSA3-125-M42	3	6	1.5	125	42	57	\	10.4	25	\	9	100	1
HSK63A-ELSA3-150-M67	3	6	1.5	150	67	57	\	13	25	\	9	125	1
HSK63A-ELSA3-180-M97	3	6	1.5	180	97	57	\	16.2	25	\	9	155	1
HSK63A-ELSA3-155-M42	3	6	1.5	155	42	33	54	10.4	25	39	9	130	2
HSK63A-ELSA3-180-M67	3	6	1.5	180	67	33	54	13	25	39	9	155	2
HSK63A-ELSA3-210-M97	3	6	1.5	210	97	33	54	16.2	25	39	9	185	2
HSK63A-ELRA3-95-M42	3	7.5	2.25	95	42	27	\	11.9	25	\	9	70	1
HSK63A-ELRA3-120-M67	3	7.5	2.25	120	67	27	\	14.5	25	\	9	95	1
HSK63A-ELRA3-150-M97	3	7.5	2.25	150	97	27	\	17.7	25	\	9	125	1
HSK63A-ELRA3-180-M127	3	7.5	2.25	180	127	27	\	20.8	32	\	9	155	1
HSK63A-ELRA3-125-M42	3	7.5	2.25	95	42	57	\	11.9	25	\	9	100	1
HSK63A-ELRA3-150-M67	3	7.5	2.25	150	67	57	\	14.5	25	\	9	125	1
HSK63A-ELRA3-180-M97	3	7.5	2.25	180	97	57	\	17.7	25	\	9	155	1
HSK63A-ELRA3-210-M127	3	7.5	2.25	210	127	57	\	20.8	32	\	9	185	1
HSK63A-ELRA3-155-M42	3	7.5	2.25	155	42	33	54	11.9	25	39	9	130	2
HSK63A-ELRA3-180-M67	3	7.5	2.25	180	67	33	54	14.5	25	39	9	155	2
HSK63A-ELRA3-210-M97	3	7.5	2.25	210	97	33	54	17.7	25	39	9	185	2
HSK63A-ELRA3-240-M127	3	7.5	2.25	240	127	33	59	20.8	32	46	9	215	2
HSK63A-ELSA4-95-M42	4	7	1.5	95	42	27	\	11.4	25	\	12	70	1
HSK63A-ELSA4-120-M67	4	7	1.5	120	67	27	\	14	25	\	12	95	1
HSK63A-ELSA4-150-M97	4	7	1.5	150	97	27	\	17.2	25	\	12	125	1
HSK63A-ELSA4-125-M42	4	7	1.5	125	42	57	\	11.4	25	\	12	100	1
HSK63A-ELSA4-150-M67	4	7	1.5	150	67	57	\	14	25	\	12	125	1
HSK63A-ELSA4-180-M97	4	7	1.5	180	97	57	\	17.2	25	\	12	155	1
HSK63A-ELSA4-155-M42	4	7	1.5	155	42	33	54	11.4	25	39	12	130	2
HSK63A-ELSA4-180-M67	4	7	1.5	180	67	33	54	14	25	39	12	155	2
HSK63A-ELSA4-210-M97	4	7	1.5	210	97	33	54	17.2	25	39	12	185	2

HSK63A-EL热缩刀柄

HSK63A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK63A-ELRA4-95-M42	4	10	3	95	42	27	\	14.4	25	\	12	70	1
HSK63A-ELRA4-120-M67	4	10	3	120	67	27	\	17	25	\	12	95	1
HSK63A-ELRA4-150-M97	4	10	3	150	97	27	\	20.2	25	\	12	125	1
HSK63A-ELRA4-180-M127	4	10	3	180	127	27	\	23.3	32	\	12	155	1
HSK63A-ELRA4-125-M42	4	10	3	125	42	57	\	14.4	25	\	12	100	1
HSK63A-ELRA4-150-M67	4	10	3	150	67	57	\	17	25	\	12	125	1
HSK63A-ELRA4-180-M97	4	10	3	180	97	57	\	20.2	25	\	12	155	1
HSK63A-ELRA4-210-M127	4	10	3	210	127	27	\	23.3	32	\	12	185	1
HSK63A-ELRA4-155-M42	4	10	3	155	42	33	54	14.4	25	39	12	130	2
HSK63A-ELRA4-180-M67	4	10	3	180	67	33	54	17	25	39	12	155	2
HSK63A-ELRA4-210-M97	4	10	3	210	97	33	54	20.2	25	39	12	185	2
HSK63A-ELRA4-240-M127	4	10	3	240	127	28	59	23.3	32	46	12	215	2
HSK63A-ELSA6-95-M42	6	9	1.5	95	42	27	\	13.4	25	\	18	70	1
HSK63A-ELSA6-120-M67	6	9	1.5	120	67	27	\	16	25	\	18	95	1
HSK63A-ELSA6-150-M97	6	9	1.5	150	97	27	\	19.2	32	\	18	125	1
HSK63A-ELSA6-125-M42	6	9	1.5	125	42	57	\	13.4	25	\	18	100	1
HSK63A-ELSA6-150-M67	6	9	1.5	150	67	57	\	16	25	\	18	125	1
HSK63A-ELSA6-180-M97	6	9	1.5	180	97	57	\	19.2	32	\	18	155	1
HSK63A-ELSA6-155-M42	6	9	1.5	155	42	33	54	13.4	25	39	18	130	2
HSK63A-ELSA6-180-M67	6	9	1.5	180	67	33	54	16	25	39	18	155	2
HSK63A-ELSA6-210-M97	6	9	1.5	210	97	28	59	19.2	32	46	18	185	2
HSK63A-ELSB6-95-M42	6	10	2	95	42	27	\	14.4	25	\	18	70	1
HSK63A-ELSB6-120-M67	6	10	2	120	67	27	\	17	25	\	18	95	1
HSK63A-ELSB6-150-M97	6	10	2	150	97	27	\	20.2	32	\	18	125	1
HSK63A-ELSB6-180-M127	6	10	2	180	127	27	\	23.3	32	\	18	155	1
HSK63A-ELSB6-210-M157	6	10	2	210	157	27	\	26.5	32	\	18	185	1
HSK63A-ELSB6-125-M42	6	10	2	125	42	57	\	14.4	25	\	18	100	1
HSK63A-ELSB6-150-M67	6	10	2	150	67	57	\	17	25	\	18	125	1
HSK63A-ELSB6-180-M97	6	10	2	180	97	57	\	20.2	32	\	18	155	1
HSK63A-ELSB6-210-M127	6	10	2	210	127	57	\	23.3	32	\	18	185	1
HSK63A-ELSB6-240-M157	6	10	2	240	157	57	\	26.5	32	\	18	215	1
HSK63A-ELSB6-155-M42	6	10	2	155	42	33	54	14.4	25	39	18	130	2
HSK63A-ELSB6-180-M67	6	10	2	180	67	33	54	17	25	39	18	155	2
HSK63A-ELSB6-210-M97	6	10	2	210	97	28	59	20.2	32	46	18	185	2
HSK63A-ELSB6-240-M127	6	10	2	240	127	28	59	23.3	32	46	18	215	2
HSK63A-ELSB6-270-M157	6	10	2	270	157	30	57	26.5	32	46	18	245	2
HSK63A-ELRB6-95-M42	6	14	4	95	42	27	\	18.4	32	\	18	70	1
HSK63A-ELRB6-120-M67	6	14	4	120	67	27	\	21	32	\	18	95	1
HSK63A-ELRB6-125-M42	6	14	4	125	42	57	\	18.4	32	\	18	100	1
HSK63A-ELRB6-150-M67	6	14	4	150	67	57	\	21	32	\	18	125	1
HSK63A-ELRB6-155-M42	6	14	4	155	42	30	57	18.4	32	46	18	130	2
HSK63A-ELRB6-180-M67	6	14	4	180	67	30	57	21	32	46	18	155	2
HSK63A-ELSA8-95-M42	8	11	1.5	95	42	27	\	15.4	32	\	24	70	1
HSK63A-ELSA8-120-M67	8	11	1.5	120	67	27	\	18	32	\	24	95	1
HSK63A-ELSA8-150-M97	8	11	1.5	150	97	27	\	21.2	32	\	24	125	1
HSK63A-ELSA8-125-M42	8	11	1.5	125	42	57	\	15.4	32	\	24	100	1
HSK63A-ELSA8-150-M 67	8	11	1.5	150	67	57	\	18	32	\	24	125	1
HSK63A-ELSA8-180-M 97	8	11	1.5	180	97	57	\	21.2	32	\	24	155	1
HSK63A-ELSA8-155-M42	8	11	1.5	155	42	33	54	15.4	25	39	24	130	2
HSK63A-ELSA8-180-M67	8	11	1.5	180	67	30	57	18	32	46	24	155	2
HSK63A-ELSA8-210-M97	8	11	1.5	210	97	28	59	21.2	32	46	24	185	2

HSK63A-EL热缩刀柄

HSK63A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK63A-ELSB8-95-M42	8	13	2.5	95	42	27	\	17.4	32	\	24	70	1
HSK63A-ELSB8-120-M 67	8	13	2.5	120	67	27	\	20	32	\	24	95	1
HSK63A-ELSB8-150-M97	8	13	2.5	150	97	27	\	23.2	32	\	24	125	1
HSK63A-ELSB8-180-M127	8	13	2.5	180	127	27	\	26.3	32	\	24	155	1
HSK63A-ELSB8-210-M157	8	13	2.5	210	157	27	\	29.5	42	\	24	185	1
HSK63A-ELSB8-125-M42	8	13	2.5	125	42	57	\	17.4	32	\	24	100	1
HSK63A-ELSB8-150-M67	8	13	2.5	150	67	57	\	20	32	\	24	125	1
HSK63A-ELSB8-180-M97	8	13	2.5	180	97	57	\	23.2	32	\	24	155	1
HSK63A-ELSB8-210-M127	8	13	2.5	210	127	57	\	26.3	32	\	24	185	1
HSK63A-ELSB8-240-M157	8	13	2.5	240	157	57	\	29.5	42	\	24	215	1
HSK63A-ELSB8-155-M42	8	13	2.5	155	42	30	57	17.4	32	46	24	130	2
HSK63A-ELSB8-180-M67	8	13	2.5	180	67	30	57	20	32	46	24	155	2
HSK63A-ELSB8-210-M97	8	13	2.5	210	97	27	59	23.2	32	46	24	185	2
HSK63A-ELSB8-240-M127	8	13	2.5	240	127	30	57	26.3	32	46	24	215	2
HSK63A-ELSB8-270-M157	8	13	2.5	270	157	28	59	29.5	42	56	24	245	2
HSK63A-ELRB8-95-M42	8	18	5	95	42	27	\	22.4	32	\	24	70	1
HSK63A-ELRB8-120-M67	8	18	5	120	67	27	\	25	32	\	24	95	1
HSK63A-ELRB8-125-M42	8	18	5	125	42	57	\	22.4	32	\	24	100	1
HSK63A-ELRB8-150-M67	8	18	5	150	67	57	\	25	32	\	24	125	1
HSK63A-ELRB8-155-M42	8	18	5	155	42	30	57	22.4	32	46	24	130	2
HSK63A-ELRB8-180-M67	8	18	5	180	67	30	57	25	32	46	24	155	2
HSK63A-ELSA10-95-M42	10	13	1.5	95	42	27	\	17.4	25	\	30	68	1
HSK63A-ELSA10-120-M67	10	13	1.5	120	67	27	\	20	32	\	30	93	1
HSK63A-ELSA10-150-M97	10	13	1.5	150	97	27	\	23.2	32	\	30	123	1
HSK63A-ELSA10-125-M42	10	13	1.5	125	42	57	\	174	25	\	30	98	1
HSK63A-ELSA10-150-M67	10	13	1.5	150	67	57	\	20	32	\	30	123	1
HSK63A-ELSA10-180-M97	10	13	1.5	180	97	57	\	23.2	32	\	30	153	1
HSK63A-ELSA10-155-M42	10	13	1.5	155	42	33	54	17.4	25	39	30	128	2
HSK63A-ELSA10-180-M67	10	13	1.5	180	67	30	57	20	32	46	30	153	2
HSK63A-ELSA10-210-M97	10	13	1.5	210	97	30	57	23.2	32	46	30	183	2
HSK63A-ELSB10-95-M 42	10	16	3	95	42	27	\	20.4	32	\	30	68	1
HSK63A-ELSB10-120-M67	10	16	3	120	67	27	\	23	32	\	30	93	1
HSK63A-ELSB10-150-M97	10	16	3	150	97	27	\	26.2	32	\	30	123	1
HSK63A-ELSB10-180-M127	10	16	3	180	127	27	\	29.3	42	\	30	153	1
HSK63A-ELSB10-210-M157	10	16	3	210	157	27	\	325	42	\	30	183	1
HSK63A-ELSB10-125-M42	10	16	3	125	42	57	\	20.4	32	\	30	98	1
HSK63A-ELSB10-150-M 67	10	16	3	150	67	57	\	23	32	\	30	123	1
HSK63A-ELSB10-180-M97	10	16	3	180	97	57	\	26.2	32	\	30	153	1
HSK63A-ELSB10-210-M127	10	16	3	210	127	57	\	29.3	42	\	30	180	1
HSK63A-ELSB10-240-M157	10	16	3	240	157	57	\	325	42	\	30	215	1
HSK63A-ELSB10-155-M42	10	16	3	155	42	28	59	20.4	32	46	30	128	2
HSK63A-ELSB10-180-M67	10	16	3	180	67	28	59	23	32	46	30	153	2
HSK63A-ELSB10-210-M97	10	16	3	210	97	28	59	26.2	32	46	30	180	2
HSK63A-ELSB10-240-M127	10	16	3	240	127	87	\	29.3	42	\	30	215	1
HSK63A-ELSB10-270-M157	10	16	3	270	157	87	\	325	42	53	30	245	2
HSK63A-ELRB10-95-M 42	10	22	6	95	42	27	\	26.4	32	\	30	68	1
HSK63A-ELRB10-120-M67	10	22	6	120	67	27	\	29	42	\	30	93	1
HSK63A-ELRB10-125-M42	10	22	6	125	42	57	\	26.4	32	\	30	98	1
HSK63A-ELRB10-150-M67	10	22	6	150	67	57	\	29	42	\	30	123	1
HSK63A-ELRB10-155-M42	10	22	6	155	42	28	59	26.4	32	46	30	128	2
HSK63A-ELRB10-180-M67	10	22	6	180	67	28	59	29	42	32	30	153	2

HSK63A-EL热缩刀柄

HSK63A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK63A-ELSA12-95-M42	12	15	1.5	95	42	27	\	19.4	32	\	30	68	1
HSK63A-ELSA12-120-M 67	12	15	1.5	120	67	27	\	22	32	\	30	93	1
HSK63A-ELSA12-150-M97	12	15	1.5	150	97	27	\	25.2	32	\	30	123	1
HSK63A-ELSA12-125-M42	12	15	1.5	125	42	57	\	19.4	32	\	30	98	1
HSK63A-ELSA12-150-M67	12	15	1.5	150	67	57	\	22	32	\	30	123	1
HSK63A-ELSA12-180-M97	12	15	1.5	180	97	57	\	25.2	32	\	30	153	1
HSK63A-ELSA12-155-M42	12	15	1.5	155	42	30	57	19.4	32	46	30	128	2
HSK63A-ELSA12-180-M67	12	15	1.5	180	67	30	57	22	32	46	30	153	2
HSK63A-ELSA12-210-M97	12	15	1.5	210	97	30	57	25.2	32	46	30	183	2
HSK63A-ELSB12-95-M42	12	19	3.5	95	42	27	\	23.4	32	\	30	68	1
HSK63A-ELSB12-120-M67	12	19	3.5	120	67	27	\	26	32	\	30	93	1
HSK63A-ELSB12-150-M97	12	19	3.5	150	97	27	\	29.2	42	\	30	123	1
HSK63A-ELSB12-180-M127	12	19	3.5	180	127	27	\	323	42	\	30	153	1
HSK63A-ELSB12-210-M157	12	19	3.5	210	157	27	\	35.5	42	\	30	183	1
HSK63A-ELSB12-125-M42	12	19	3.5	125	42	57	\	23.4	32	\	30	98	1
HSK63A-ELSB12-150-M67	12	19	3.5	150	67	57	\	26	32	\	30	123	1
HSK63A-ELSB12-180-M97	12	19	3.5	180	97	57	\	29.2	42	\	30	153	1
HSK63A-ELSB12-210-M127	12	19	3.5	210	127	57	\	323	50	\	30	180	1
HSK63A-ELSB12-240-M157	12	19	3.5	240	157	57	\	35.5	50	\	30	215	1
HSK63A-ELSB12-155-M42	12	19	3.5	155	42	30	57	23.4	32	46	30	128	2
HSK63A-ELSB12-180-M67	12	19	3.5	180	67	28	59	26	32	46	30	153	2
HSK63A-ELSB12-210-M97	12	19	3.5	210	97	87	\	29.2	50	\	30	180	1
HSK63A-ELSB12-240-M127	12	19	3.5	240	127	87	\	323	50	\	30	215	1
HSK63A-ELSB12-270-M157	12	19	3.5	270	157	87	\	35.5	42	53	30	245	2
HSK63A-ELRB12-95-M42	12	26	7	95	42	27	\	30.4	42	\	30	68	1
HSK63A-ELRB12-120-M67	12	26	7	120	67	27	\	33	42	\	30	93	1
HSK63A-ELRB12-125-M42	12	26	7	125	42	57	\	30.4	42	\	30	95	1
HSK63A-ELRB12-150-M67	12	26	7	150	67	57	\	33	42	\	30	120	1
HSK63A-ELRB12-155-M42	12	26	7	155	42	87	\	30.4	50	\	30	125	1
HSK63A-ELRB12-180-M67	12	26	7	180	67	87	\	33	42	53	30	150	2
HSK63A-ELSB16-95-M42	16	24	4	95	42	27	\	28.4	42	\	32	68	1
HSK63A-ELSB16-120-M67	16	24	4	120	67	27	\	31	42	\	32	93	1
HSK63A-ELSB16-150-M97	16	24	4	150	97	27	\	34.2	42	\	32	123	1
HSK63A-ELSB16-180-M127	16	24	4	180	127	27	\	373	53	\	32	153	1
HSK63A-ELSB16-210-M157	16	24	4	210	157	27	\	40.5	53	\	32	183	1
HSK63A-ELSB16-125-M42	16	24	4	125	42	57	\	28.4	42	\	32	95	1
HSK63A-ELSB16-150-M67	16	24	4	150	67	57	\	31	42	\	32	120	1
HSK63A-ELSB16-180-M97	16	24	4	180	97	57	\	34.2	42	\	32	155	1
HSK63A-ELSB16-210-M127	16	24	4	210	127	57	\	373	53	\	32	180	1
HSK63A-ELSB16-240-M157	16	24	4	240	157	57	\	40.5	50	\	32	215	1
HSK63A-ELSB16-155-M42	16	24	4	155	42	87	\	28.4	50	\	32	128	1
HSK63A-ELSB16-180-M67	16	24	4	180	67	28	59	31	42	53	32	153	2
HSK63A-ELSB16-210-M 97	16	24	4	210	97	87	\	34.2	50	\	32	180	1
HSK63A-ELSB16-240-M127	16	24	4	240	127	87	\	37.3	53	\	32	215	1
HSK63A-ELSB16-270-M157	16	24	4	270	157	87	\	40.5	53	\	32	245	1
HSK63A-ELRB16-95-M42	16	32	8	95	42	27	\	36.4	42	\	32	68	1
HSK63A-ELRB16-120-M67	16	32	8	120	67	27	\	39	42	\	32	93	1
HSK63A-ELRB16-125-M42	16	32	8	125	42	57	\	36.4	42	\	32	95	1
HSK63A-ELRB16-150-M67	16	32	8	150	67	57	\	39	42	\	32	120	1
HSK63A-ELRB16-155-M42	16	32	8	155	42	87	\	36.4	42	53	32	125	1
HSK63A-ELRB16-180-M67	16	32	8	180	67	87	\	39	42	53	32	150	2


HSK63A-EL热缩刀柄

HSK63A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK63A-ELSB20-95-M42	20	29	45	95	42	27	\	33.4	42	\	40	168	1
HSK63A-ELSB20-120-M67	20	29	45	120	67	27	\	36	42	\	40	93	1
HSK63A-ELSB20-150-M97	20	29	45	150	97	27	\	39.2	53	\	40	123	1
HSK63A-ELSB20-180-M127	20	29	45	180	127	27	\	42.3	53	\	40	153	1
HSK63A-ELSB20-210-M157	20	29	45	210	157	27	\	45.6	53	\	40	183	1
HSK63A-ELSB20-125-M42	20	29	45	125	42	57	\	33.4	42	\	40	95	1
HSK63A-ELSB20-150-M67	20	29	45	150	67	57	\	36	42	\	40	120	1
HSK63A-ELSB20-180-M97	20	29	45	180	97	57	\	39.2	53	\	40	155	1
HSK63A-ELSB20-210-M127	20	29	45	210	127	57	\	42.3	53	\	40	185	1
HSK63A-ELSB20-240-M157	20	29	45	240	157	57	\	45.6	53	\	40	215	1
HSK63A-ELSB20-155-M42	20	29	45	155	42	87	\	33.4	50	\	40	130	1
HSK63A-ELSB20-180-M67	20	29	45	180	67	87	\	36	42	53	40	155	1
HSK63A-ELSB20-210-M97	20	29	45	210	97	87	\	39.2	53	\	40	185	1
HSK63A-ELSB20-240-M127	20	29	45	240	127	87	\	42.3	50	\	40	215	1
HSK63A-ELSB20-270-M157	20	29	45	270	157	87	\	45.6	50	\	40	245	1
HSK63A-ELRB20-95-M42	20	38	9	95	42	27	\	424	53	\	40	68	1
HSK63A-ELRB20-120-M67	20	38	9	120	67	27	\	45	53	\	40	93	1
HSK63A-ELRB20-125-M 42	20	38	9	125	42	57	\	424	53	\	40	95	1
HSK63A-ELRB20-150-M67	20	38	9	150	67	57	\	45	53	\	40	120	1
HSK63A-ELRB20-155-M42	20	38	9	155	42	87	\	424	53	\	40	125	1
HSK63A-ELRB20-180-M67	20	38	9	180	67	87	\	45	53	\	40	150	1
HSK63A-ELRB25-95-M42	25	45	10	95	42	27	\	49.4	53	\	40	68	1
HSK63A-ELRB25-125-M42	25	45	10	125	42	57	\	49.4	53	\	40	95	1
HSK63A-ELRB25-155-M42	25	45	10	155	42	87	\	49.4	53	\	40	125	1

HSK100A-EL热缩刀柄

HSK100A-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK100A-ELSA3-110-M42	3	6	1.5	110	42	39	\	10.4	25	\	9	80	1
HSK100A-ELSA3-135-M67	3	6	1.5	135	67	39	\	13	25	\	9	105	1
HSK100A-ELSA3-165-M97	3	6	1.5	165	97	39	\	16.2	25	\	9	135	1
HSK100A-ELSA3-140-M42	3	6	1.5	140	42	69	\	10.4	25	\	9	110	1
HSK100A-ELSA3-165-M67	3	6	1.5	165	67	69	\	13	25	\	9	135	1
HSK100A-ELSA3-195-M97	3	6	1.5	195	97	69	\	16.2	25	\	9	165	1
HSK100A-ELSA3-170-M42	3	6	1.5	170	42	33	66	10.4	25	39	9	140	2
HSK100A-ELSA3-195-M67	3	6	1.5	195	67	33	66	13	25	39	9	165	2
HSK100A-ELSA3-225-M97	3	6	1.5	225	97	33	66	16.2	25	39	9	195	2

HSK100A-EL热缩刀柄

HSK100A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK100A-ELRA3-110-M42	3	7.5	2.3	110	42	39	\	11.9	25	\	9	80	1
HSK100A-ELRA3-135-M67	3	7.5	2.3	135	67	39	\	14.5	25	\	9	105	1
HSK100A-ELRA3-165-M97	3	7.5	2.3	165	97	39	\	17.7	25	\	9	135	1
HSK100A-ELRA3-195-M127	3	7.5	2.3	195	127	39	\	20.8	32	\	9	165	1
HSK100A-ELRA3-140-M42	3	7.5	2.3	140	42	69	\	11.9	25	\	9	110	1
HSK100A-ELRA3-165-M67	3	7.5	2.3	165	67	69	\	14.5	25	\	9	135	1
HSK100A-ELRA3-195-M97	3	7.5	2.3	195	97	69	\	17.7	25	\	9	165	1
HSK100A-ELRA3-225-M127	3	7.5	2.3	225	127	69	\	20.8	32	\	9	195	1
HSK100A-ELRA3-170-M42	3	7.5	2.3	170	42	33	66	11.9	25	39	9	140	2
HSK100A-ELRA3-195-M67	3	7.5	2.3	195	67	33	66	14.5	25	39	9	165	2
HSK100A-ELRA3-225-M97	3	7.5	2.3	225	97	33	66	17.7	25	39	9	195	2
HSK100A-ELRA3-255-M127	3	7.5	2.3	255	127	28	71	20.8	32	46	9	225	2
HSK100A-ELSA4-110-M42	4	7	1.5	110	42	39	\	11.4	25	\	12	80	1
HSK100A-ELSA4-135-M67	4	7	1.5	135	67	39	\	14	25	\	12	105	1
HSK100A-ELSA4-165-M97	4	7	1.5	165	97	39	\	17.2	25	\	12	135	1
HSK100A-ELSA4-140-M42	4	7	1.5	140	42	69	\	11.4	25	\	12	110	1
HSK100A-ELSA4-165-M67	4	7	1.5	165	67	69	\	14	25	\	12	135	1
HSK100A-ELSA4-195-M97	4	7	1.5	195	97	69	\	17.2	25	\	12	165	1
HSK100A-ELSA4-170-M42	4	7	1.5	170	42	33	66	11.4	25	39	12	140	2
HSK100A-ELSA4-195-M67	4	7	1.5	195	67	33	66	14	25	39	12	165	2
HSK100A-ELSA4-225-M97	4	7	1.5	225	97	33	66	172	25	39	12	195	2
HSK100A-ELRA4-110-M42	4	10	3	110	42	39	\	14.4	25	\	12	80	1
HSK100A-ELRA4-135-M67	4	10	3	135	67	39	\	17	25	\	12	105	1
HSK100A-ELRA4-165-M97	4	10	3	165	97	39	\	20.2	25	\	12	135	1
HSK100A-ELRA4-195-M127	4	10	3	195	127	39	\	23.3	32	\	12	165	1
HSK100A-ELRA4-140-M42	4	10	3	140	42	69	\	14.4	25	\	12	110	1
HSK100A-ELRA4-165-M67	4	10	3	165	67	69	\	17	25	\	12	135	1
HSK100A-ELRA4-195-M 97	4	10	3	195	97	69	\	20.2	25	\	12	165	1
HSK100A-ELRA4-225-M127	4	10	3	225	127	69	\	23.3	32	\	12	195	1
HSK100A-ELRA4-170-M 42	4	10	3	170	42	33	66	14.4	25	39	12	140	2
HSK100A-ELRA4-195-M67	4	10	3	195	67	33	66	17	25	39	12	165	2
HSK100A-ELRA4-225-M97	4	10	3	225	97	33	66	20.2	25	39	12	195	2
HSK100A-ELRA4-255-M127	4	10	3	255	127	28	71	23.3	32	46	12	225	2
HSK100A-ELSA6-110-M42	6	9	1.5	110	42	39	\	13.4	25	\	18	80	1
HSK100A-ELSA6-135-M67	6	9	1.5	135	67	39	\	16	25	\	18	105	1
HSK100A-ELSA6-165-M97	6	9	1.5	165	97	39	\	19.2	32	\	18	135	1
HSK100A-ELSA6-140-M42	6	9	1.5	140	42	69	\	13.4	25	\	18	110	1
HSK100A-ELSA6-165-M67	6	9	1.5	165	67	69	\	16	25	\	18	135	1
HSK100A-ELSA6-195-M97	6	9	1.5	195	97	69	\	19.2	32	\	18	165	1
HSK100A-ELSA6-170-M42	6	9	1.5	170	42	33	66	13.4	25	39	18	140	2
HSK100A-ELSA6-195-M67	6	9	1.5	195	67	33	66	16	25	39	18	165	2
HSK100A-ELSA6-225-M97	6	9	1.5	225	97	30	69	19.2	32	46	18	195	2
HSK100A-ELSB6-110-M42	6	10	2	110	42	39	\	14.4	25	\	18	80	1
HSK100A-ELSB6-135-M67	6	10	2	135	67	39	\	17	25	\	18	105	1
HSK100A-ELSB6-165-M97	6	10	2	165	97	39	\	20.2	32	\	18	135	1
HSK100A-ELSB6-195-M127	6	10	2	195	127	39	\	23.3	32	\	18	165	1
HSK100A-ELSB6-225-M157	6	10	2	225	157	39	\	26.5	32	\	18	195	1

HSK100A-EL热缩刀柄

HSK100A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
A100-ELSB6-140-M42	6	10	2	140	42	69	\	14.4	25	\	18	110	1
A100-ELSB6-165-M67	6	10	2	165	67	69	\	17	25	\	18	135	1
A100-ELSB6-195-M97	6	10	2	195	97	69	\	20.2	32	\	18	165	1
A100-ELSB6-225-M127	6	10	2	225	127	69	\	23.3	32	\	18	195	1
A100-ELSB6-255-M157	6	10	2	255	157	69	\	26.5	32	\	18	225	1
A100-ELSB6-170-M42	6	10	2	170	42	33	66	14.4	25	39	18	140	2
A100-ELSB6-195-M67	6	10	2	195	67	33	66	17	25	39	18	165	2
A100-ELSB6-225-M97	6	10	2	225	97	28	71	20.2	32	46	18	195	2
A100-ELSB6-255-M127	6	10	2	255	127	28	71	23.3	32	46	18	225	2
A100-ELSB6-285-M157	6	10	2	285	157	30	69	26.5	32	46	18	255	2
A100-ELRB6-110-M 24	6	14	4	110	42	39	\	18.4	32	\	18	80	1
A100-ELRB6-135-M 67	6	14	4	135	67	39	\	21	32	\	18	105	1
A100-ELRB6-140-M42	6	14	4	140	42	69	\	18.4	32	\	18	110	1
A100-ELRB6-165-M67	6	14	4	165	67	69	\	21	32	\	18	135	1
A100-ELRB6-170-M42	6	14	4	170	42	28	71	18.4	32	46	18	140	2
A100-ELRB6-195-M 67	6	14	4	195	67	28	71	21	32	46	18	165	2
A100-ELSA8-110-M42	8	11	1.5	110	42	39	\	15.4	32	\	24	80	1
A100-ELSA8-135-M67	8	11	1.5	135	67	39	\	18	32	\	24	105	1
A100-ELSA8-165-M97	8	11	1.5	165	97	39	\	21.2	32	\	24	135	1
A100-ELSA8-140-M42	8	11	1.5	140	42	69	\	15.4	32	\	24	110	1
A100-ELSA8-165-M67	8	11	1.5	165	67	69	\	18	32	\	24	135	1
A100-ELSA8-195-M97	8	11	1.5	195	97	69	\	21.2	32	\	24	165	1
A100-ELSA8-170-M42	8	11	1.5	170	42	28	71	15.4	32	46	24	140	2
A100-ELSA8-195-M67	8	11	1.5	195	67	28	71	18	32	46	24	165	2
A100-ELSA8-225-M97	8	11	1.5	225	97	28	71	21.2	32	46	24	195	2
A100-ELSB8-110-M42	8	13	2.5	110	42	39	\	17.4	32	\	24	80	1
A100-ELSB8-135-M67	8	13	2.5	135	67	39	\	20	32	\	24	105	1
A100-ELSB8-165-M97	8	13	2.5	165	97	39	\	23.2	32	\	24	135	1
A100-ELSB8-195-M127	8	13	2.5	195	127	39	\	26.3	32	\	24	165	1
A100-ELSB8-225-M157	8	13	2.5	225	157	39	\	29.5	42	\	24	195	1
A100-ELSB8-140-M42	8	13	2.5	140	42	69	\	17.4	32	\	24	110	1
A100-ELSB8-165-M67	8	13	2.5	165	67	69	\	20	32	\	24	135	1
A100-ELSB8-195-M97	8	13	2.5	195	97	69	\	23.2	32	\	24	165	1
A100-ELSB8-225-M127	8	13	2.5	225	127	69	\	26.3	32	\	24	195	1
A100-ELSB8-255-M157	8	13	2.5	255	157	69	\	29.5	42	\	24	225	1
A100-ELSB8-170-M42	8	13	2.5	170	42	28	71	17.4	32	46	24	140	2
A100-ELSB8-195-M67	8	13	2.5	195	67	30	69	20	32	46	24	165	2
A100-ELSB8-225-M97	8	13	2.5	225	97	30	69	23.2	32	46	24	195	2
A100-ELSB8-255-M127	8	13	2.5	255	127	30	69	26.3	32	46	24	225	2
A100-ELSB8-285-M157	8	13	2.5	285	157	28	71	29.5	42	56	24	255	2
A100-ELRB8-110-M42	8	18	5	110	42	39	\	22.4	32	\	24	80	1
A100-ELRB8-135-M67	8	18	5	135	67	39	\	25	32	\	24	105	1
A100-ELRB8-140-M42	8	18	5	140	42	69	\	22.4	32	\	24	110	1
A100-ELRB8-165-M67	8	18	5	165	67	69	\	25	32	\	24	135	1
A100-ELRB8-170-M42	8	18	5	170	42	28	71	22.4	32	46	24	140	2
A100-ELRB8-195-M67	8	18	5	195	67	28	71	25	32	46	24	165	2

HSK100A-EL热缩刀柄

HSK100A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK100A-ELSA10-110-M42	10	13	1.5	110	42	39	\	17.4	25	\	30	80	1
HSK100A-ELSA10-135-M67	10	13	1.5	135	67	39	\	20	32	\	30	105	1
HSK100A-ELSA10-165-M97	10	13	1.5	165	97	39	\	23.2	32	\	30	135	1
HSK100A-ELSA10-140-M42	10	13	1.5	140	42	69	\	17.4	25	\	30	110	1
HSK100A-ELSA10-165-M67	10	13	1.5	165	67	69	\	20	32	\	30	135	1
HSK100A-ELSA10-195-M97	10	13	1.5	195	97	69	\	23.2	32	\	30	165	1
HSK100A-ELSA10-170-M42	10	13	1.5	170	42	28	71	17.4	32	46	30	140	2
HSK100A-ELSA10-195-M67	10	13	1.5	195	67	28	71	20	32	46	30	165	2
HSK100A-ELSA10-225-M 97	10	13	1.5	225	97	30	69	23.2	32	46	30	195	2
HSK100A-ELSB10-110-M42	10	16	3	110	42	39	\	20.4	32	\	30	80	1
HSK100A-ELSB10-135-M67	10	16	3	135	67	39	\	23	32	\	30	105	1
HSK100A-ELSB10-165-M97	10	16	3	165	97	39	\	26.2	32	\	30	135	1
HSK100A-ELSB10-195-M127	10	16	3	195	127	39	\	29.3	42	\	30	165	1
HSK100A-ELSB10-225-M157	10	16	3	225	157	39	\	32.5	42	\	30	195	1
HSK100A-ELSB10-140-M42	10	16	3	140	42	69	\	20.4	32	\	30	110	1
HSK100A-ELSB10-165-M67	10	16	3	165	67	69	\	23	32	\	30	135	1
HSK100A-ELSB10-195-M 97	10	16	3	195	97	69	\	26.2	32	\	30	165	1
HSK100A-ELSB10-225-M127	10	16	3	225	127	69	\	29.3	42	\	30	195	1
HSK100A-ELSB10-255-M157	10	16	3	255	157	69	\	32.5	42	\	30	225	1
HSK100A-ELSB10-170-M42	10	16	3	170	42	28	71	20.4	32	46	30	140	2
HSK100A-ELSB10-195-M67	10	16	3	195	67	28	71	23	32	46	30	165	2
HSK100A-ELSB10-225-M97	10	16	3	225	97	30	69	26.2	32	46	30	195	2
HSK100A-ELSB10-255-M127	10	16	3	255	127	99	\	29.3	50	\	30	225	1
HSK100A-ELSB10-285-M157	10	16	3	285	157	99	\	32.5	50	\	30	255	1
HSK100A-ELRB10-110-M42	10	22	6	110	42	39	\	26.4	32	\	30	80	1
HSK100A-ELRB10-135-M67	10	22	6	135	67	39	\	29	42	\	30	105	1
HSK100A-ELRB10-140-M 42	10	22	6	140	42	69	\	26.4	32	\	30	110	1
HSK100A-ELRB10-165-M67	10	22	6	165	67	69	\	29	42	\	30	135	1
HSK100A-ELRB10-170-M42	10	22	6	170	42	28	71	26.4	32	46	30	140	2
HSK100A-ELRB10-195-M67	10	22	6	195	67	28	71	29	42	56	30	165	2
HSK100A-ELSA12-110-M42	12	15	1.5	110	42	39	\	19.4	32	\	30	80	1
HSK100A-ELSA12-135-M67	12	15	1.5	135	67	39	\	22	32	\	30	105	1
HSK100A-ELSA12-165-M97	12	15	1.5	165	97	39	\	25.2	32	\	30	135	1
HSK100A-ELSA12-140-M42	12	15	1.5	140	42	69	\	19.4	32	\	30	110	1
HSK100A-ELSA12-165-M67	12	15	1.5	165	67	69	\	22	32	\	30	135	1
HSK100A-ELSA12-195-M97	12	15	1.5	195	97	69	\	25.2	32	\	30	165	1
HSK100A-ELSA12-170-M42	12	15	1.5	170	42	28	71	19.4	32	46	30	140	2
HSK100A-ELSA12-195-M67	12	15	1.5	195	67	30	69	22	32	46	30	165	2
HSK100A-ELSA12-225-M97	12	15	1.5	225	97	28	71	25.2	32	46	30	195	2
HSK100A-ELSB12-110-M42	12	19	3.5	110	42	39	\	23.4	32	\	30	79	1
HSK100A-ELSB12-135-M67	12	19	3.5	135	67	39	\	26	32	\	30	104	1
HSK100A-ELSB12-165-M97	12	19	3.5	165	97	39	\	29.2	42	\	30	130	1
HSK100A-ELSB12-195-M127	12	19	3.5	195	127	39	\	32.3	42	\	30	160	1
HSK100A-ELSB12-225-M157	12	19	3.5	225	157	39	\	35.5	42	\	30	190	1
HSK100A-ELSB12-140-M42	12	19	3.5	140	42	69	\	23.4	32	\	30	105	1
HSK100A-ELSB12-165-M67	12	19	3.5	165	67	69	\	26	32	\	30	130	1
HSK100A-ELSB12-195-M97	12	19	3.5	195	97	69	\	29.2	42	\	30	160	1
HSK100A-ELSB12-225-M127	12	19	3.5	225	127	69	\	32.3	42	\	30	190	1
HSK100A-ELSB12-255-M157	12	19	3.5	255	157	69	\	35.5	42	\	30	220	1
HSK100A-ELSB12-170-M42	12	19	3.5	170	42	28	71	23.4	32	46	30	135	2
HSK100A-ELSB12-195-M67	12	19	3.5	195	67	28	71	26	32	46	30	160	2
HSK100A-ELSB12-225-M97	12	19	3.5	225	97	99	\	29.2	42	\	30	190	1
HSK100A-ELSB12-255-M127	12	19	3.5	255	127	99	\	32.3	42	56	30	220	2
HSK100A-ELSB12-285-M157	12	19	3.5	285	157	99	\	35.5	42	56	30	250	2


HSK100A-EL热缩刀柄

HSK100A-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
HSK100A-ELRB12-110-M42	12	26	7	110	42	39	\	30.4	42	\	30	75	1
HSK100A-ELRB12-135-M67	12	26	7	135	67	39	\	33	42	\	30	100	1
HSK100A-ELRB12-140-M 42	12	26	7	140	42	69	\	30.4	42	\	30	105	1
HSK100A-ELRB12-165-M67	12	26	7	165	67	69	\	33	42	\	30	130	1
HSK100A-ELRB12-170-M42	12	26	7	170	42	99	\	30.4	50	\	30	135	1
HSK100A-ELRB12-195-M67	12	26	7	195	67	99	\	33	42	56	30	160	2
HSK100A-ELSB16-110-M42	16	24	4	110	42	39	\	28.4	42	\	32	75	1
HSK100A-ELSB16-135-M67	16	24	4	135	67	39	\	31	42	\	32	100	1
HSK100A-ELSB16-165-M 97	16	24	4	165	97	39	\	34.2	42	\	32	130	1
HSK100A-ELSB16-195-M127	16	24	4	195	127	39	\	37.3	50	\	32	160	1
HSK100A-ELSB16-225-M157	16	24	4	225	157	39	\	40.5	53	\	32	190	1
HSK100A-ELSB16-140-M42	16	24	4	140	42	69	\	28.4	42	\	32	105	1
HSK100A-ELSB16-165-M 67	16	24	4	165	67	69	\	31	42	\	32	130	1
HSK100A-ELSB16-195-M 97	16	24	4	195	97	69	\	34.2	42	\	32	160	1
HSK100A-ELSB16-225-M127	16	24	4	225	127	69	\	37.3	53	\	32	190	1
HSK100A-ELSB16-255-M157	16	24	4	255	157	69	\	40.5	53	\	32	220	1
HSK100A-ELSB16-170-M 42	16	24	4	170	42	99	\	28.4	50	\	32	135	1
HSK100A-ELSB16-195-M67	16	24	4	195	67	99	\	31	50	\	32	160	1
HSK100A-ELSB16-225-M 97	16	24	4	225	97	99	\	34.2	50	\	32	190	1
HSK100A-ELSB16-255-M127	16	24	4	255	127	28	71	37.3	53	67	32	220	2
HSK100A-ELSB16-285-M157	16	24	4	285	157	28	71	40.5	53	67	32	250	2
HSK100A-ELRB16-110-M42	16	32	8	110	42	39	\	36.4	42	\	32	75	1
HSK100A-ELRB16-135-M67	16	32	8	135	67	39	\	39	42	\	32	100	1
HSK100A-ELRB16-140-M42	16	32	8	140	42	69	\	36.4	42	\	32	105	1
HSK100A-ELRB16-165-M67	16	32	8	165	67	69	\	39	42	\	32	130	1
HSK100A-ELRB16-170-M42	16	32	8	170	42	99	\	36.4	42	56	32	135	2
HSK100A-ELRB16-195-M67	16	32	8	195	67	99	\	39	42	56	32	160	2
HSK100A-ELSB20-110-M42	20	29	4.5	110	42	39	\	33.4	42	\	40	75	1
HSK100A-ELSB20-135-M67	20	29	4.5	135	67	39	\	36	42	\	40	100	1
HSK100A-ELSB20-165-M 97	20	29	4.5	165	97	39	\	39.2	53	\	40	130	1
HSK100A-ELSB20-195-M127	20	29	4.5	195	127	39	\	42.3	53	\	40	160	1
HSK100A-ELSB20-225-M157	20	29	4.5	225	157	39	\	45.5	53	\	40	190	1
HSK100A-ELSB20-140-M42	20	29	4.5	140	42	69	\	33.4	42	\	40	105	1
HSK100A-ELSB20-165-M67	20	29	4.5	165	67	69	\	36	42	\	40	130	1
HSK100A-ELSB20-195-M97	20	29	4.5	195	97	69	\	39.2	53	\	40	160	1
HSK100A-ELSB20-225-M127	20	29	4.5	225	127	69	\	42.3	50	\	40	190	1
HSK100A-ELSB20-255-M157	20	29	4.5	255	157	69	\	45.5	53	\	40	220	1
HSK100A-ELSB20-170-M42	20	29	4.5	170	42	28	71	33.4	42	56	40	135	2
HSK100A-ELSB20-195-M67	20	29	4.5	195	67	99	\	36	42	56	40	160	2
HSK100A-ELSB20-225-M97	20	29	4.5	225	97	99	\	39.2	530	67	40	190	2
HSK100A-ELSB20-255-M127	20	29	4.5	255	127	99	\	42.3	50	\	40	220	1
HSK100A-ELSB20-285-M157	20	29	4.5	285	157	28	71	45.5	53	67	40	250	2
HSK100A-ELRB20-110-M42	20	38	9	110	42	39	\	42.4	53	\	40	75	1
HSK100A-ELRB20-135-M67	20	38	9	135	67	39	\	45	53	\	40	100	1
HSK100A-ELRB20-140-M42	20	38	9	140	42	69	\	42.4	53	\	40	105	1
HSK100A-ELRB20-165-M67	20	38	9	165	67	69	\	45	53	\	40	130	1
HSK100A-ELRB20-170-M42	20	38	9	170	42	99	\	42.4	53	\	40	135	1
HSK100A-ELRB20-195-M67	20	38	9	195	67	28	\	45	53	67	40	160	2
HSK100A-ELRB25-110-M42	25	45	10	110	42	39	\	49.4	53	\	45	75	1
HSK100A-ELRB25-140-M42	25	45	10	140	42	69	\	49.4	53	\	45	105	1
HSK100A-ELRB25-170-M42	25	45	10	170	42	28	71	49.4	53	67	45	135	2

HSK32E-EL热缩刀柄


HSK32E-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
HSK32E-ELSA3-50-M22	3	6	1.5	50	22	8	8.3	20	9	42
HSK32E-ELSA3-70-M42	3	6	1.5	70	42	8	10.4	20	9	62
HSK32E-ELSA3-85-M42	3	6	1.5	85	42	23	10.4	25	9	77
HSK32E-ELRA3-50-M22	3	7.5	2.25	50	22	8	9.8	20	9	42
HSK32E-ELRA3-70-M42	3	7.5	2.25	70	42	8	11.9	20	9	62
HSK32E-ELRA3-85-M42	3	7.5	2.25	85	42	23	11.9	25	9	77
HSK32E-ELSA3.175-50-M22	3.175	6.175	1.5	50	22	8	8.5	20	9	42
HSK32E-ELSA4-50-M22	4	7	1.5	50	22	8	9.3	20	12	42
HSK32E-ELSA4-70-M42	4	7	1.5	70	42	8	11.4	20	12	62
HSK32E-ELSA4-85-M42	4	7	1.5	85	42	23	11.4	25	12	77
HSK32E-ELRA4-50-M22	4	10	3	50	22	8	12.3	20	12	42
HSK32E-ELRA4-70-M42	4	10	3	70	42	8	14.4	20	12	62
HSK32E-ELRA4-85-M42	4	10	3	85	42	23	14.4	25	12	77
HSK32E-ELSA6-70-M42	6	9	1.5	70	42	8	13.4	20	12	62
HSK32E-ELRA6-50-M22	6	12	3	50	22	8	14.3	25	18	42
HSK32E-ELRA6-70-M42	6	12	3	70	42	8	16.4	25	18	62
HSK32E-ELRA6-85-M42	6	12	3	85	42	23	16.4	25	18	77
HSK32E-ELRA8-50-M22	8	14	3	50	22	8	16.3	25	24	39
HSK32E-ELRA8-85-M42	8	14	3	85	42	23	18.4	25	24	69
HSK32E-ELRA10-55-M22	10	16	3	50	22	13	18.3	25	30	44
HSK32E-ELRA12-55-M22	12	20	4	50	22	13	22.3	25	30	44
HSK32E-ELRA16-55-M35	16	26	5	50	35	\	\	\	32	44

HSK40E-EL热缩刀柄


HSK40E-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
HSK40E-ELSA3-85-M42	3	6	1.5	85	42	23	10.4	25	9	69
HSK40E-ELSA3-110-M67	3	6	1.5	110	67	23	13	25	9	94
HSK40E-ELRA3-85-M42	3	7.5	2.25	85	42	23	11.9	25	9	69
HSK40E-ELRA3-110-M67	3	7.5	2.25	110	67	23	14.5	25	9	94
HSK40E-ELSA4-85-M42	4	7	1.5	85	42	23	11.4	25	12	69
HSK40E-ELSA4-110-M67	4	7	1.5	110	67	23	14	25	12	94
HSK40E-ELRA4-85-M42	4	10	3	85	42	23	14.4	25	12	69
HSK40E-ELRA4-110-M67	4	10	3	110	67	23	17	25	12	94
HSK40E-ELSA6-85-M42	6	9	1.5	85	42	23	13.4	25	18	69
HSK40E-ELSA6-110-M67	6	9	1.5	110	67	23	16	25	18	94
HSK40E-ELRA6-85-M42	6	12	3	85	42	23	14.3	25	18	69
HSK40E-ELRA6-110-M67	6	12	3	110	67	23	19	25	18	94
HSK40E-ELSA8-60-M22	8	11	1.5	60	22	18	13.3	25	24	49
HSK40E-ELSA8-80-M42	8	11	1.5	80	42	18	15.4	25	24	64
HSK40E-ELSA8-100-M42	8	11	1.5	100	42	38	15.4	25	24	81
HSK40E-ELRA8-85-M42	8	13	3	85	42	23	18.4	25	24	69
HSK40E-ELRA8-100-M42	8	13	3	100	42	38	18.4	25	24	84
HSK40E-ELSA10-60-M22	10	13	1.5	60	22	18	15.3	25	30	49
HSK40E-ELSA10-80-M42	10	13	1.5	80	42	18	17.4	25	30	64
HSK40E-ELSA10-100-M42	10	13	1.5	100	42	38	17.4	25	30	89
HSK40E-ELRA10-55-M22	10	16	3	55	22	13	18.3	25	25	44
HSK40E-ELRA10-85-M42	10	16	3	85	42	23	20.3	25	30	64
HSK40E-ELRA10-100-M42	10	16	3	100	42	38	20.3	25	30	64
HSK40E-ELRA12-55-M22	12	20	4	55	22	13	22.3	25	25	44
HSK40E-ELRA12-85-M42	12	20	4	85	42	23	24.4	32	30	74
HSK40E-ELRA16-55-M22	16	26	5	55	22	13	28.3	34	32	44
HSK40E-ELRA20-60-M40	20	32	6	60	40	\	34	\	38	49

HSK50E-EL热缩刀柄

HSK50E-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
HSK50E-ELSA3-75-M22	3	6	1.5	75	22	27	8.3	25	9	61
HSK50E-ELSA3-95-M42	3	6	1.5	95	42	27	10.4	25	9	81
HSK50E-ELRA3-75-M22	3	7.5	2.25	75	22	27	9.8	25	9	61
HSK50E-ELRA3-95-M42	3	7.5	2.25	95	42	27	11.9	25	9	81
HSK50E-ELRA3-120-M67	3	7.5	2.25	120	67	27	14.5	25	9	106
HSK50E-ELRA3-150-M97	3	7.5	2.25	150	97	27	17.7	25	9	135
HSK50E-ELSA4-75-M22	4	7	1.5	75	22	27	9.3	25	12	61
HSK50E-ELSA4-95-M42	4	7	1.5	95	42	27	11.4	25	12	81
HSK50E-ELRA4-75-M22	4	10	3	75	22	27	12.3	25	12	61
HSK50E-ELRA4-95-M42	4	10	3	95	42	27	14.4	25	12	81
HSK50E-ELRA4-120-M67	4	10	3	120	67	27	17	25	12	106
HSK50E-ELRA4-150-M97	4	10	3	150	97	27	20.2	25	12	135
HSK50E-ELSA6-75-M22	6	9	1.5	75	22	27	11.3	25	18	61
HSK50E-ELSA6-95-M42	6	9	1.5	95	42	27	13.4	25	18	81
HSK50E-ELSA6-120-M67	6	9	1.5	120	67	27	16	25	18	106
HSK50E-ELSA6-150-M97	6	9	1.5	150	97	27	19.2	32	18	135
HSK50E-ELSB6-95-M42	6	10	2	95	42	27	14.4	25	18	81
HSK50E-ELSB6-120-M67	6	10	2	120	67	27	17	25	18	106
HSK50E-ELSB6-150-M97	6	10	2	150	97	27	20.2	32	18	135
HSK50E-ELRA6-75-M22	6	12	3	75	22	27	14.3	25	18	61
HSK50E-ELRA6-95-M42	6	12	3	95	42	27	16.4	25	18	81
HSK50E-ELRA6-120-M67	6	12	3	120	67	27	19	25	18	106
HSK50E-ELRB6-95-M42	6	14	4	95	42	27	18.4	32	18	81


HSK50E-EL热缩刀柄

HSK50E-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	C1	C2	H	h
HSK50E-ELSA8-75-M22	8	11	1.5	75	22	27	13.3	25	24	61
HSK50E-ELSA8-95-M42	8	11	1.5	95	42	27	15.4	25	24	81
HSK50E-ELSA8-120-M67	8	11	1.5	120	67	27	18	32	24	105
HSK50E-ELSA8-150-M97	8	11	1.5	150	97	27	212	32	24	135
HSK50E-ELSB8-95-M42	8	13	2.5	95	42	27	17.4	32	24	80
HSK50E-ELSB8-120-M67	8	13	2.5	120	67	27	20	32	24	105
HSK50E-ELSB8-150-M97	8	13	2.5	150	97	27	23.2	32	24	135
HSK50E-ELRA8-75-M22	8	14	3	75	22	27	16.3	25	24	61
HSK50E-ELRA8-95-M42	8	14	3	95	42	27	18.4	25	24	81
HSK50E-ELRB8-95-M42	8	18	5	95	42	27	224	32	24	80
HSK50E-ELRB8-120-M67	8	18	5	120	67	27	25	32	24	105
HSK50E-ELSA10-75-M22	10	13	1.5	75	22	27	15.3	25	24	61
HSK50E-ELSA10-95-M42	10	13	1.5	95	42	27	17.4	25	24	81
HSK50E-ELSA10-120-M67	10	13	1.5	120	67	27	20	32	24	105
HSK50E-ELSA10-150-M97	10	13	1.5	150	97	27	23.2	32	24	135
HSK50E-ELSB10-95-M42	10	16	3	95	42	27	20.4	32	30	80
HSK50E-ELSB10-120-M67	10	16	3	120	67	27	23	32	30	105
HSK50E-ELSB10-150-M97	10	16	3	150	97	27	26.2	32	30	135
HSK50E-ELRA10-75-M22	10	16	3	75	22	27	18.3	25	30	60
HSK50E-ELRB10-95-M42	10	22	6	95	42	27	26.4	32	30	80
HSK50E-ELRB10-120-M67	10	22	6	120	67	27	29	42	30	105
HSK50E-ELSA12-75-M22	12	15	1.5	75	22	27	17.3	25	30	60
HSK50E-ELSA12-95-M42	12	15	1.5	95	42	27	19.4	32	30	80
HSK50E-ELSA12-120-M67	12	15	1.5	120	67	27	22	32	30	105
HSK50E-ELSB12-95-M42	12	19	3.5	95	42	27	23.4	32	30	80
HSK50E-ELSB12-120-M67	12	19	3.5	120	67	27	26	32	30	105
HSK50E-ELSB12-150-M97	12	19	3.5	150	97	27	29.2	32	30	135
HSK50E-ELRA12-75-M22	12	20	4	75	22	27	22.3	25	30	60
HSK50E-ELRB12-95-M42	12	26	7	95	42	27	30.4	42	30	80
HSK50E-ELRB12-120-M67	12	26	7	120	67	27	33	42	30	105
HSK50E-ELSB16- 95-M42	16	24	4	95	42	27	28.4	42	32	80
HSK50E-ELSB16-120-M67	16	24	4	120	67	27	31	42	32	105
HSK50E-ELRB16-75-M22	16	32	8	75	22	27	34.3	42	32	60
HSK50E-ELSB20-95-M42	20	29	4.5	95	42	27	33.4	42	40	80

HSK63F-EL热缩刀柄


HSK63F-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
HSK63F-ELSA3-75-M22	3	6	1.5	75	22	27	8.3	25	9	58
HSK63F-ELSA3-95-M42	3	6	1.5	95	42	27	10.4	25	9	78
HSK63F-ELRA3-75-M22	3	7.5	2.25	75	22	27	9.8	25	9	58
HSK63F-ELRA3-95-M42	3	7.5	2.25	95	42	27	11.9	25	9	78
HSK63F-ELSA4-95-M42	4	7	1.5	95	42	27	11.4	25	12	78
HSK63F-ELRA4-75-M22	4	10	3	75	22	27	12.3	25	12	58
HSK63F-ELRA4-95-M42	4	10	3	95	42	27	14.4	25	12	78
HSK63F-ELSA6-75-M22	6	9	1.5	75	22	27	?	25	18	58
HSK63F-ELSA6-95-M42	6	9	1.5	95	42	27	13.4	25	18	78
HSK63F-ELSB6-95-M42	6	10	2	95	42	27	144	25	18	78
HSK63F-ELRA6-75-M22	6	12	3	75	22	27	14.3	25	18	58
HSK63F-ELRA6-95-M42	6	12	3	95	42	27	16.4	25	18	78
HSK63F-ELSA8-95-M42	8	11	1.5	95	42	27	15.4	25	24	78
HSK63F-ELSB8-95-M42	8	13	2.5	95	42	27	174	25	24	78
HSK63F-ELRA8-75-M22	8	14	3	75	22	27	16.3	25	24	58
HSK63F-ELRA8-95-M42	8	14	3	95	42	27	18.4	25	24	78
HSK63F-ELSA10-95-M42	10	13	1.5	95	42	27	174	25	30	78
HSK63F-ELSB10-95-M42	10	16	3	95	42	27	20.4	25	30	78
HSK63F-ELRA10-75-M22	10	16	3	75	22	27	18.3	25	30	58
HSK63F-ELSA12-95-M42	12	15	1.5	95	42	27	19.4	25	30	78
HSK63F-ELSB12-95-M42	12	19	3.5	95	42	27	23.4	25	30	78
HSK63F-ELRA12-75-M22	12	20	4	75	22	27	22.3	25	30	58

BT30-EL热缩刀柄


BT30-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	C1	C2	H	h
BT30-ELRA3-75-M22	3	7.5	2.25	75	22	31	9.8	25	9	99
BT30-ELRA3-95-M42	3	7.5	2.25	95	42	31	11.9	25	9	119
BT30-ELRA3-120-M67	3	7.5	2.25	120	67	31	14.5	25	9	144
BT30-ELRA3.175-95-M42	3.175	7.5	2.15	95	42	31	11.9	25	9	119
BT30-ELRA3.175-120-M67	3.175	7.5	2.15	120	67	31	14.5	25	9	144
BT30-ELSA4-95-M42	4	7	1.5	95	42	31	11.4	25	12	119
BT30-ELSA4-120-M67	4	7	1.5	120	67	31	14	25	12	144
BT30-ELRA4-75-M22	4	10	3	75	22	31	12.3	25	12	94
BT30-ELRA4-95-M42	4	10	3	95	42	31	14.4	25	12	119
BT30-ELRA4-120-M67	4	10	3	120	67	31	17	25	12	144
BT30-ELSA6-95-M42	6	9	1.5	95	42	31	13.4	25	18	119
BT30-ELSA6-120-M67	6	9	1.5	120	67	31	16	25	18	144
BT30-ELSB6-95-M42	6	10	2	95	42	31	14.4	25	18	119
BT30-ELSB6-120-M67	6	10	2	120	67	31	17	25	18	144
BT30-ELRA6-75-M22	6	12	3	75	22	31	14.3	25	18	99
BT30-ELRA6-95-M42	6	12	3	95	42	31	16.4	25	18	119
BT30-ELRA6-120-M22	6	12	3	120	67	31	19	25	18	144
BT30-ELRA8-75-M22	8	14	3	75	22	31	16.3	25	24	70
BT30-ELRA8-95-M42	8	14	3	95	42	31	18.4	25	24	90
BT30-ELRA10-75-M22	10	16	3	75	22	31	18.3	25	30	70
BT30-ELRA10-95-M42	10	16	3	95	42	31	20.4	25	30	90
BT30-ELRA12-75-M22	12	20	4	75	22	31	22.3	25	30	70
BT30-ELRA12-95-M42	12	20	4	95	42	31	24.4	25	30	90
BT30-ELRA12-60-M22	16	26	5	60	22	31	28.3	34	32	60
BT30-ELRA12-65-M22	20	32	6	65	22	31	34.3	40	38	60

BT40-EL热缩刀柄

BT40-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT40-ELSA3-95-M42	3	6	1.5	95	42	26	\	10.4	25	\	9	130	1
BT40-ELSA3-120-M67	3	6	1.5	120	67	26	\	13	25	\	9	155	1
BT40-ELSA3-150-M97	3	6	1.5	150	97	26	\	16.2	25	\	9	185	1
BT40-ELSA3-125-M42	3	6	1.5	125	42	56	\	10.4	25	\	9	160	1
BT40-ELSA3-150-M67	3	6	1.5	150	67	56	\	13	25	\	9	185	1
BT40-ELSA3-180-M97	3	6	1.5	180	97	56	\	16.2	25	\	9	215	1
BT40-ELSA3-155-M42	3	6	1.5	155	42	33	53	10.4	25	39	9	190	2
BT40-ELSA3-180-M67	3	6	1.5	180	67	33	53	13	25	39	9	215	2
BT40-ELSA3-210-M97	3	6	1.5	210	97	33	53	16.2	25	39	9	245	2
BT40-ELRA3-95-M42	3	7.5	2.25	95	42	26	\	11.9	25	\	9	130	1
BT40-ELRA3-120-M67	3	7.5	2.25	120	67	26	\	14.5	25	\	9	155	1
BT40-ELRA3-150-M 97	3	7.5	2.25	150	97	26	\	17.7	25	\	9	185	1
BT40-ELRA3-180-M127	3	7.5	2.25	180	127	26	\	20.8	32	\	9	215	1
BT40-ELRA3-125-M42	3	7.5	2.25	125	42	56	\	11.9	25	\	9	160	1
BT40-ELRA3-150-M 67	3	7.5	2.25	150	67	56	\	14.5	25	\	9	185	1
BT40-ELRA3-180-M 97	3	7.5	2.25	180	97	56	\	17.7	25	\	9	215	1
BT40-ELRA3-210-M127	3	7.5	2.25	210	127	56	\	20.8	32	\	9	245	1
BT40-ELRA3-155-M42	3	7.5	2.25	155	42	33	53	11.9	25	39	9	190	2
BT40-ELRA3-180-M67	3	7.5	2.25	180	67	33	53	14.5	25	39	9	215	2
BT40-ELRA3-210-M 97	3	7.5	2.25	210	97	33	53	17.7	25	39	9	245	2
BT40-ELRA3-240-M127	3	7.5	2.25	240	127	28	58	20.8	32	46	9	275	2
BT40-ELSA4-95-M42	4	7	1.5	95	42	26	\	11.4	25	\	12	130	1
BT40-ELSA4-120-M67	4	7	1.5	120	67	26	\	14	25	\	12	155	1
BT40-ELSA4-150-M97	4	7	1.5	150	97	26	\	17.2	25	\	12	185	1
BT40-ELSA4-125-M42	4	7	1.5	125	42	56	\	11.4	25	\	12	160	1
BT40-ELSA4-150-M67	4	7	1.5	150	67	56	\	14	25	\	12	185	1
BT40-ELSA4-180-M97	4	7	1.5	180	97	56	\	17.2	25	\	12	215	1
BT40-ELSA4-155-M42	4	7	1.5	155	42	33	53	11.4	25	39	12	190	2
BT40-ELSA4-180-M67	4	7	1.5	180	67	33	53	14	25	39	12	215	2
BT40-ELSA4-210-M97	4	7	1.5	210	97	33	53	17.2	25	39	12	245	2

BT40-EL热缩刀柄

BT40-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT40-ELRA4-95-M42	4	10	3	95	42	26	\	14.4	25	\	12	130	1
BT40-ELRA4-120-M67	4	10	3	120	67	26	\	17	25	\	12	155	1
BT40-ELRA4-150-M97	4	10	3	150	97	26	\	20.2	25	\	12	185	1
BT40-ELRA4-180-M127	4	10	3	180	127	26	\	23.3	32	\	12	215	1
BT40-ELRA4-125-M42	4	10	3	125	42	56	\	14.4	25	\	12	160	1
BT40-ELRA4-150-M67	4	10	3	150	67	56	\	17	25	\	12	185	1
BT40-ELRA4-180-M97	4	10	3	180	97	56	\	20.2	25	\	12	215	1
BT40-ELRA4-210-M127	4	10	3	210	127	56	\	23.3	32	\	12	245	1
BT40-ELRA4-155-M42	4	10	3	155	42	33	53	14.4	25	39	12	190	2
BT40-ELRA4-180-M67	4	10	3	180	67	33	53	17	25	39	12	215	2
BT40-ELRA4-210-M97	4	10	3	210	97	33	53	20.2	25	39	12	245	2
BT40-ELRA4-240-M127	4	10	3	240	127	28	58	23.3	32	46	12	275	2
BT40-ELSA6-95-M42	6	9	1.5	95	42	26	\	134	25	\	18	130	1
BT40-ELSA6-120-M67	6	9	1.5	120	67	26	\	16	25	\	18	155	1
BT40-ELSA6-150-M97	6	9	1.5	150	97	26	\	19.2	32	\	18	185	1
BT40-ELSA6-125-M42	6	9	1.5	125	42	56	\	13.4	25	\	18	160	1
BT40-ELSA6-150-M67	6	9	1.5	150	67	56	\	16	25	\	18	185	1
BT40-ELSA6-180-M97	6	9	1.5	180	97	56	\	19.2	32	\	18	215	1
BT40-ELSA6-155-M42	6	9	1.5	155	42	33	53	13.4	25	39	18	190	2
BT40-ELSA6-180-M67	6	9	1.5	180	67	33	53	16	25	39	18	215	2
BT40-ELSA6-210-M97	6	9	1.5	210	97	28	58	192	32	46	18	245	2
BT40-ELSB6-95-M42	6	10	2	95	42	26	\	14.4	25	\	18	130	1
BT40-ELSB6-120-M67	6	10	2	120	67	26	\	17	25	\	18	155	1
BT40-ELSB6-150-M97	6	10	2	150	97	26	\	20.2	32	\	18	185	1
BT40-ELSB6-180-M127	6	10	2	180	127	26	\	23.3	32	\	18	215	1
BT40-ELSB6-210-M157	6	10	2	210	157	26	\	26.5	32	\	18	245	1
BT40-ELSB6-125-M42	6	10	2	125	42	56	\	14.4	25	\	18	160	1
BT40-ELSB6-150-M67	6	10	2	150	67	56	\	17	25	\	18	185	1
BT40-ELSB6-180-M97	6	10	2	180	97	56	\	20.2	32	\	18	215	1
BT40-ELSB6-210-M127	6	10	2	210	127	56	\	23.3	32	\	18	245	1
BT40-ELSB6-240-M157	6	10	2	240	157	56	\	26.5	32	\	18	275	1
BT40-ELSB6-155-M42	6	10	2	155	42	33	53	14.4	25	\	18	190	2
BT40-ELSB6-180-M67	6	10	2	180	67	33	53	17	25	39	18	215	2
BT40-ELSB6-210-M97	6	10	2	210	97	28	58	20.2	32	39	18	245	2
BT40-ELSB6-240-M127	6	10	2	240	127	28	58	23.3	32	46	18	275	2
BT40-ELSB6-270-M157	6	10	2	270	157	28	58	26.5	32	46	18	305	2
BT40-ELRB6-95-M42	6	14	4	95	42	26	\	18.4	32	\	18	130	1
BT40-ELRB6-120-M67	6	14	4	120	67	26	\	21	32	\	18	155	1
BT40-ELRB6-125-M42	6	14	4	125	42	56	\	18.4	32	\	18	160	1
BT40-ELRB6-150-M67	6	14	4	150	67	56	\	21	32	\	18	185	1
BT40-ELRB6-155-M42	6	14	4	155	42	28	58	18.4	32	46	18	190	2
BT40-ELRB6-180-M67	6	14	4	180	67	28	58	21	32	46	18	215	2
BT40-ELSA8-95-M42	8	11	1.5	95	42	26	\	15.4	25	\	24	130	1
BT40-ELSA8-120-M67	8	11	1.5	120	67	26	\	18	32	\	24	155	1
BT40-ELSA8-150-M97	8	11	1.5	150	97	26	\	21.2	32	\	24	185	1
BT40-ELSA8-125-M42	8	11	1.5	125	42	56	\	15.4	32	\	24	160	1
BT40-ELSA8-150-M67	8	11	1.5	150	67	56	\	18	32	\	24	185	1
BT40-ELSA8-180-M97	8	11	1.5	180	97	56	\	21.2	32	\	24	215	1
BT40-ELSA8-155-M42	8	11	1.5	155	42	33	53	154	25	39	24	190	2
BT40-ELSA8-180-M67	8	11	1.5	180	67	28	58	18	32	46	24	215	2
BT40-ELSA8-210-M97	8	11	1.5	210	97	28	58	21.2	32	46	24	245	2

BT40-EL热缩刀柄

BT40-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT40-ELSB8-95-M42	8	13	2.5	95	42	26	\	17.4	32	\	24	130	1
BT40-ELSB8-120-M67	8	13	2.5	120	67	26	\	20	32	\	24	155	1
BT40-ELSB8-150-M97	8	13	2.5	150	97	26	\	23.2	32	\	24	185	1
BT40-ELSB8-180-M127	8	13	2.5	180	127	26	\	26.3	32	\	24	215	1
BT40-ELSB8-210-M157	8	13	2.5	210	157	26	\	29.5	32	\	24	245	1
BT40-ELSB8-125-M42	8	13	2.5	125	42	56	\	17.4	32	\	24	160	1
BT40-ELSB8-150-M67	8	13	2.5	150	67	56	\	20	32	\	24	185	1
BT40-ELSB8-180-M97	8	13	2.5	180	97	56	\	23.2	32	\	24	215	1
BT40-ELSB8-210-M127	8	13	2.5	210	127	56	\	26.3	32	\	24	245	1
BT40-ELSB8-240-M157	8	13	2.5	240	157	56	\	29.5	32	\	24	275	1
BT40-ELSB8-155-M42	8	13	2.5	155	42	30	56	17.4	32	46	24	190	2
BT40-ELSB8-180-M67	8	13	2.5	180	67	28	58	20	32	46	24	215	2
BT40-ELSB8-210-M97	8	13	2.5	210	97	28	58	23.2	32	46	24	245	2
BT40-ELSB8-240-M127	8	13	2.5	240	127	28	58	26.3	32	46	24	275	2
BT40-ELSB8-270-M157	8	13	2.5	270	157	28	58	29.5	42	53	24	305	2
BT40-ELRB8-95-M42	8	18	5	95	42	26	\	22.4	32	\	24	130	1
BT40-ELRB8-120-M67	8	18	5	120	67	26	\	25	32	\	24	155	1
BT40-ELRB8-125-M42	8	18	5	125	42	56	\	22.4	32	\	24	160	1
BT40-ELRB8-150-M67	8	18	5	150	67	56	\	25	32	\	24	185	1
BT40-ELRB8-155-M42	8	18	5	155	42	30	56	22.4	32	46	24	190	2
BT40-ELRB8-180-M67	8	18	5	180	67	28	58	25	32	46	24	215	2
BT40-ELSA10-95-M42	10	13	1.5	95	42	26	\	17.4	25	\	30	130	1
BT40-ELSA10-120-M67	10	13	1.5	120	67	26	\	20	32	\	30	155	1
BT40-ELSA10-150-M97	10	13	1.5	150	97	26	\	23.2	32	\	30	185	1
BT40-ELSA10-125-M42	10	13	1.5	125	42	56	\	17.4	32	\	30	160	1
BT40-ELSA10-150-M67	10	13	1.5	150	67	56	\	20	32	\	30	185	1
BT40-ELSA10-180-M97	10	13	1.5	180	97	56	\	23.2	32	\	30	215	1
BT40-ELSA10-155-M42	10	13	1.5	155	42	28	58	17.4	32	46	30	190	2
BT40-ELSA10-180-M67	10	13	1.5	180	67	28	58	20	32	46	30	215	2
BT40-ELSA10-210-M97	10	13	1.5	210	97	28	58	23.2	32	46	30	245	2
BT40-ELSB10-95-M42	10	16	3	95	42	26	\	20.4	32	\	30	130	1
BT40-ELSB10-120-M67	10	16	3	120	67	26	\	23	32	\	30	155	1
BT40-ELSB10-150-M97	10	16	3	150	97	26	\	26.2	32	\	30	185	1
BT40-ELSB10-180-M127	10	16	3	180	127	26	\	29.3	42	\	30	215	1
BT40-ELSB10-210-M157	10	16	3	210	157	26	\	32.5	42	\	30	245	1
BT40-ELSB10-125-M 42	10	16	3	125	42	56	\	20.4	32	\	30	160	1
BT40-ELSB10-150-M67	10	16	3	150	67	56	\	23	32	\	30	185	1
BT40-ELSB10-180-M97	10	16	3	180	97	56	\	26.2	32	\	30	215	1
BT40-ELSB10-210-M127	10	16	3	210	127	56	\	29.3	50	\	30	245	1
BT40-ELSB10-240-M157	10	16	3	240	157	56	\	32.5	50	\	30	275	1
BT40-ELSB10-155-M42	10	16	3	155	42	28	58	20.4	32	46	30	190	2
BT40-ELSB10-180-M67	10	16	3	180	67	28	58	23	32	46	30	215	2
BT40-ELSB10-210-M97	10	16	3	210	97	28	58	26.2	32	46	30	245	2
BT40-ELSB10-240-M127	10	16	3	240	127	86	?	29.3	50	\	30	275	2
BT40-ELSB10-270-M157	10	16	3	270	157	86	?	32.5	42	53	30	305	2
BT40-ELRB10-95-M42	10	22	6	95	42	26	\	26.4	32	\	30	130	1
BT40-ELRB10-120-M67	10	22	6	120	67	26	\	29	42	\	30	155	1
BT40-ELRB10-125-M42	10	22	6	125	42	56	\	26.4	32	\	30	160	1
BT40-ELRB10-150-M67	10	22	6	150	67	56	\	29	42	\	30	185	1
BT40-ELRB10-155-M42	10	22	6	155	42	28	58	26.4	32	46	30	190	2
BT40-ELRB10-180-M67	10	22	6	180	67	28	58	29	42	53	30	215	2

BT40-EL热缩刀柄

BT40-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT40-ELSA12-95-M42	12	15	1.5	95	42	26	\	19.4	32	\	30	130	1
BT40-ELSA12-120-M67	12	15	1.5	120	67	26	\	22	32	\	30	155	1
BT40-ELSA12-150-M97	12	15	1.5	150	97	26	\	25.2	32	\	30	185	1
BT40-ELSA12-125-M42	12	15	1.5	125	42	56	\	19.4	32	\	30	160	1
BT40-ELSA12-150-M67	12	15	1.5	150	67	56	\	22	32	\	30	185	1
BT40-ELSA12-180-M97	12	15	1.5	180	97	56	\	25.2	32	\	30	215	1
BT40-ELSA12-155-M42	12	15	1.5	155	42	28	58	19.4	32	46	30	190	2
BT40-ELSA12-180-M67	12	15	1.5	180	67	30	56	22	32	46	30	215	2
BT40-ELSA12-210-M97	12	15	1.5	210	97	28	58	25.2	32	46	30	245	2
BT40-ELSB12-95-M42	12	19	3.5	95	42	26	\	23.4	32	\	30	130	1
BT40-ELSB12-120-M67	12	19	3.5	120	67	26	\	26	32	\	30	155	1
BT40-ELSB12-150-M97	12	19	3.5	150	97	26	\	29.2	42	\	30	185	1
BT40-ELSB12-180-M127	12	19	3.5	180	127	26	\	323	42	\	30	215	1
BT40-ELSB12-210-M157	12	19	3.5	210	157	26	\	35.5	42	\	30	245	1
BT40-ELSB12-125-M42	12	19	3.5	125	42	56	\	23.4	32	\	30	160	1
BT40-ELSB12-150-M67	12	19	3.5	150	67	56	\	26	32	\	30	185	1
BT40-ELSB12-180-M97	12	19	3.5	180	97	56	\	29.2	50	\	30	215	1
BT40-ELSB12-210-M127	12	19	3.5	210	127	56	\	32.3	50	\	30	245	1
BT40-ELSB12-240-M157	12	19	3.5	240	157	56	\	35.5	50	\	30	275	1
BT40-ELSB12-155-M42	12	19	3.5	155	42	28	58	23.4	32	46	30	190	2
BT40-ELSB12-180-M67	12	19	3.5	180	67	28	58	26	32	46	30	215	2
BT40-ELSB12-210-M97	12	19	3.5	210	97	86	\	29.2	50	\	30	245	2
BT40-ELSB12-240-M127	12	19	3.5	240	127	86	\	32.3	50	\	30	275	2
BT40-ELSB12-270-M157	12	19	3.5	270	157	86	\	35.5	50	\	30	305	2
BT40-ELRB12-95-M42	12	26	7	95	42	26	\	30.4	42	\	30	105	1
BT40-ELRB12-120-M67	12	26	7	120	67	26	\	33	42	\	30	130	1
BT40-ELRB12-125-M42	12	26	7	125	42	56	\	30.4	42	\	30	135	1
BT40-ELRB12-150-M67	12	26	7	150	67	56	\	33	42	\	30	160	1
BT40-ELRB12-155-M42	12	26	7	155	42	86	\	30.4	42	53	30	165	2
BT40-ELRB12-180-M67	12	26	7	180	67	86	\	33	42	53	30	190	2
BT40-ELSB16-95-M42	16	24	4	95	42	26	\	28.4	42	\	32	105	1
BT40-ELSB16-120-M67	16	24	4	120	67	26	\	31	42	\	32	130	1
BT40-ELSB16-150-M97	16	24	4	150	97	26	\	34.2	42	\	32	160	1
BT40-ELSB16-180-M127	16	24	4	180	127	26	\	37.3	53	\	32	190	1
BT40-ELSB16-210-M157	16	24	4	210	157	26	\	40.5	53	\	32	220	1
BT40-ELSB16-125-M42	16	24	4	125	42	56	\	28.4	42	\	32	135	1
BT40-ELSB16-150-M67	16	24	4	150	67	56	\	31	42	\	32	160	1
BT40-ELSB16-180-M97	16	24	4	180	97	56	\	34.2	42	\	32	190	1
BT40-ELSB16-210-M127	16	24	4	210	127	56	\	37.3	50	\	32	220	1
BT40-ELSB16-240-M157	16	24	4	240	157	56	\	40.5	50	\	32	250	1
BT40-ELSB16-155-M42	16	24	4	155	42	86	\	28.4	42	53	32	165	2
BT40-ELSB16-180-M67	16	24	4	180	67	86	\	31	42	53	32	190	2
BT40-ELSB16-210-M97	16	24	4	210	97	86	\	34.2	50	\	32	190	1
BT40-ELSB16-240-M127	16	24	4	240	127	86	\	37.3	53	\	32	250	1
BT40-ELSB16-270-M157	16	24	4	270	157	86	\	40.5	50	\	32	280	1
BT40-ELRB16-95-M42	16	32	8	95	42	26	\	36.4	42	\	32	105	1
BT40-ELRB16-120-M67	16	32	8	120	67	26	\	39	42	\	32	130	1
BT40-ELRB16-125-M42	16	32	8	125	42	56	\	36.4	42	\	32	135	1
BT40-ELRB16-150-M67	16	32	8	150	67	56	\	39	42	\	32	160	1
BT40-ELRB16-155-M42	16	32	8	155	42	86	\	36.4	42	53	32	165	2
BT40-ELRB16-180-M67	16	32	8	180	67	86	\	39	42		32	190	2


BT40-EL热缩刀柄

BT40-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT40-ELSB20-95-M42	20	29	4.5	95	42	26	\	33.4	42	\	40	105	1
BT40-ELSB20-120-M67	20	29	4.5	120	67	26	\	36	42	\	40	130	1
BT40-ELSB20-150-M97	20	29	4.5	150	97	26	\	39.2	53	\	40	160	1
BT40-ELSB20-180-M127	20	29	4.5	180	127	26	\	42.3	53	\	40	190	1
BT40-ELSB20-210-M157	20	29	4.5	210	157	26	\	45.5	50	\	40	220	1
BT40-ELSB20-125-M42	20	29	4.5	125	42	56	\	33.4	42	\	40	135	1
BT40-ELSB20-150-M67	20	29	4.5	150	67	56	\	36	42	\	40	160	1
BT40-ELSB20-180-M97	20	29	4.5	180	97	56	\	39.2	50	\	40	190	1
BT40-ELSB20-210-M127	20	29	4.5	210	127	56	\	42.3	50	\	40	220	1
BT40-ELSB20-240-M157	20	29	4.5	240	157	56	\	45.5	50	\	40	250	1
BT40-ELSB20-155-M42	20	29	4.5	155	42	28	58	33.4	42	53	40	165	2
BT40-ELSB20-180-M67	20	29	4.5	180	67	86	\	36	50	\	40	190	1
BT40-ELSB20-210-M97	20	29	4.5	210	97	86	\	39.2	50	\	40	220	1
BT40-ELSB20-240-M127	20	29	4.5	240	127	86	\	42.3	50	\	40	250	1
BT40-ELSB20-270-M157	20	29	4.5	270	157	86	\	45.5	50	\	40	280	1
BT40-ELRB20-95-M42	20	38	9	95	42	26	\	42.4	53	\	40	105	1
BT40-ELRB20-120-M67	20	38	9	120	67	26	\	45	53	\	40	130	1
BT40-ELRB20-125-M42	20	38	9	125	42	56	\	42.4	53	\	40	135	1
BT40-ELRB20-150-M67	20	38	9	150	67	56	\	45	50	\	40	160	1
BT40-ELRB20-155-M42	20	38	9	155	42	86	\	42.4	50	\	40	165	1
BT40-ELRB20-180-M67	20	38	9	180	67	86	\	45	50	\	40	190	1
BT40-ELRB25-95-M42	25	45	10	95	42	26	\	49.4	53	\	45	105	1
BT40-ELRB25-125-M42	25	45	10	125	42	56	\	49.4	53	\	45	135	1
BT40-ELRB25-155-M42	25	45	10	155	42	86	\	49.4	50	\	45	165	1

BT50-EL热缩刀柄

BT50-EL SHRINK FIT CHUCK



Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT50-ELSA3-110-M42	3	6	1.5	110	42	30	\	10.4	25	\	9	165	1
BT50-ELSA3-135-M67	3	6	1.5	135	67	30	\	13	25	\	9	190	1
BT50-ELSA3-165-M97	3	6	1.5	165	97	30	\	16.2	25	\	9	220	1
BT50-ELSA3-140-M42	3	6	1.5	140	42	60	\	10.4	25	\	9	195	1
BT50-ELSA3-165-M67	3	6	1.5	165	67	60	\	13	25	\	9	220	1
BT50-ELSA3-195-M97	3	6	1.5	195	97	60	\	16.2	25	39	9	250	1
BT50-ELSA3-170-M42	3	6	1.5	170	42	33	57	10.4	25	39	9	225	2
BT50-ELSA3-195-M67	3	6	1.5	195	67	33	57	13	25	39	9	250	2
BT50-ELSA3-225-M97	3	6	1.5	225	97	33	57	16.2	25	\	9	280	2
BT50-ELRA3-110-M42	3	7.5	2.25	110	42	30	\	11.9	25	\	9	165	1
BT50-ELRA3-135-M67	3	7.5	2.25	135	67	30	\	14.5	25	\	9	190	1
BT50-ELRA3-165-M97	3	7.5	2.25	165	97	30	\	17.7	25	\	9	220	1
BT50-ELRA3-195-M127	3	7.5	2.25	195	127	30	\	20.8	32	\	9	250	1
BT50-ELRA3-140-M42	3	7.5	2.25	140	42	60	\	11.9	25	\	9	195	1
BT50-ELRA3-165-M67	3	7.5	2.25	165	67	60	\	14.5	25	\	9	220	1
BT50-ELRA3-195-M97	3	7.5	2.25	195	97	60	\	17.7	25	\	9	250	1
BT50-ELRA3-225-M127	3	7.5	2.25	225	127	60	\	20.8	32	39	9	280	1
BT50-ELRA3-170-M42	3	7.5	2.25	170	42	33	57	11.9	25	39	9	225	2
BT50-ELRA3-195-M67	3	7.5	2.25	195	67	33	57	14.5	25	39	9	250	2
BT50-ELRA3-225-M97	3	7.5	2.25	225	97	33	57	17.7	25	46	9	280	2
BT50-ELRA3-255-M127	3	7.5	2.25	255	127	30	60	20.8	32	\	9	310	2
BT50-ELSA4-110-M42	4	7	1.5	110	42	30	\	11.4	25	\	12	165	1
BT50-ELSA4-135-M67	4	7	1.5	135	67	30	\	14	25	\	12	190	1
BT50-ELSA4-165-M97	4	7	1.5	165	97	30	\	17.2	25	\	12	220	1
BT50-ELSA4-140-M42	4	7	1.5	140	42	60	\	11.4	25	\	12	195	1
BT50-ELSA4-165-M67	4	7	1.5	165	67	60	\	14	25	\	12	220	1
BT50-ELSA4-195-M97	4	7	1.5	195	97	60	\	17.2	25	39	12	250	1
BT50-ELSA4-170-M42	4	7	1.5	170	42	33	57	11.4	25	39	12	225	2
BT50-ELSA4-195-M67	4	7	1.5	195	67	33	57	14	25	39	12	250	2
BT50-ELSA4-225-M97	4	7	1.5	225	97	33	57	17.2	25		12	280	2

BT50-EL热缩刀柄

BT50-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT50-ELRA4-110-M42	4	10	3	110	42	30	\	14.4	25	\	12	165	1
BT50-ELRA4-135-M67	4	10	3	135	67	30	\	17	25	\	12	190	1
BT50-ELRA4-165-M97	4	10	3	165	97	30	\	20.2	25	\	12	220	1
BT50-ELRA4-195-M127	4	10	3	195	127	30	\	23.3	32	\	12	250	1
BT50-ELRA4-140-M42	4	10	3	140	42	60	\	14.4	25	\	12	195	1
BT50-ELRA4-165-M67	4	10	3	165	67	60	\	7	25	\	12	220	1
BT50-ELRA4-195-M97	4	10	3	195	97	60	\	20.2	25	\	12	250	1
BT50-ELRA4-225-M127	4	10	3	225	127	60	\	23.3	32	\	12	280	1
BT50-ELRA4-170-M42	4	10	3	170	42	33	57	14.4	25	39	12	225	2
BT50-ELRA4-195-M67	4	10	3	195	67	33	57	17	25	39	12	250	2
BT50-ELRA4-225-M97	4	10	3	225	97	33	57	20.2	25	39	12	280	2
BT50-ELRA4-255-M127	4	10	3	255	127	30	60	23.3	32	46	12	310	2
BT50-ELSA6-110-M42	6	9	1.5	110	42	30	\	13.4	25	\	18	165	1
BT50-ELSA6-135-M67	6	9	1.5	135	67	30	\	16	25	\	18	190	1
BT50-ELSA6-165-M97	6	9	1.5	165	97	30	\	19.2	32	\	18	220	1
BT50-ELSA6-140-M42	6	9	1.5	140	42	60	\	13.4	25	\	18	195	1
BT50-ELSA6-165-M67	6	9	1.5	165	67	60	\	16	25	\	18	220	1
BT50-ELSA6-195-M97	6	9	1.5	195	97	60	\	19.2	32	\	18	250	1
BT50-ELSA6-170-M42	6	9	1.5	170	42	33	57	13.4	25	39	18	225	2
BT50-ELSA6-195-M67	6	9	1.5	195	67	33	57	16	25	39	18	250	2
BT50-ELSA6-225-M97	6	9	1.5	225	97	28	62	19.2	32	46	18	280	2
BT50-ELSB6-110-M42	6	10	2	110	42	30	\	14.4	25	\	18	165	1
BT50-ELSB6-135-M67	6	10	2	135	67	30	\	17	25	\	18	190	1
BT50-ELSB6-165-M97	6	10	2	165	97	30	\	20.2	32	\	18	220	1
BT50-ELSB6-195-M127	6	10	2	195	127	30	\	23.3	32	\	18	250	1
BT50-ELSB6-225-M157	6	10	2	225	157	30	\	26.5	32	\	18	280	1
BT50-ELSB6-140-M42	6	10	2	140	42	60	\	14.4	25	\	18	195	1
BT50-ELSB6-165-M67	6	10	2	165	67	60	\	17	25	\	18	220	1
BT50-ELSB6-195-M97	6	10	2	195	97	60	\	20.2	32	\	18	250	1
BT50-ELSB6-225-M127	6	10	2	225	127	60	\	23.3	32	\	18	280	1
BT50-ELSB6-255-M157	6	10	2	255	157	60	\	26.5	32	\	18	310	1
BT50-ELSB6-170-M42	6	10	2	170	42	33	57	14.4	25	39	18	225	2
BT50-ELSB6-195-M67	6	10	2	195	67	33	57	17	25	39	18	250	2
BT50-ELSB6-225-M97	6	10	2	225	97	28	62	20.2	32	46	18	280	2
BT50-ELSB6-255-M127	6	10	2	255	127	28	62	23.3	32	46	18	310	2
BT50-ELSB6-285-M157	6	10	2	285	157	30	60	26.5	32	46	18	340	2
BT50-ELRB6-110-M42	6	14	4	110	42	30	\	18.4	32	\	18	165	1
BT50-ELRB6--135-M67	6	14	4	135	67	30	\	21	32	\	18	190	1
BT50-ELRB6--140-M42	6	14	4	140	42	60	\	18.4	32	\	18	195	1
BT50-ELRB6--165-M67	6	14	4	165	67	60	\	21	32	\	18	220	1
BT50-ELRB6--170-M42	6	14	4	170	42	28	62	18.4	32	46	18	225	2
BT50-ELRB6--195-M67	6	14	4	195	67	30	60	21	32	46	18	250	2
BT50-ELSA8-110-M42	8	11	1.5	110	42	30	\	15.4	25	\	24	165	1
BT50-ELSA8-135-M67	8	11	1.5	135	67	30	\	18	32	\	24	190	1
BT50-ELSA8-165-M97	8	11	1.5	165	97	30	\	21.2	32	\	24	220	1
BT50-ELSA8-140-M42	8	11	1.5	140	42	60	\	15.4	32	\	24	195	1
BT50-ELSA8-165-M67	8	11	1.5	165	67	60	\	18	32	\	24	220	1
BT50-ELSA8-195-M97	8	11	1.5	195	97	60	\	21.2	32	\	24	250	1
BT50-ELSA8-170-M42	8	11	1.5	170	42	33	57	15.4	25	39	24	225	2
BT50-ELSA8-195-M67	8	11	1.5	195	67	28	62	18	32	46	24	250	2
BT50-ELSA8-225-M97	8	11	1.5	225	97	28	62	21.2	32	46	24	280	2

BT50-EL热缩刀柄

BT50-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT50-ELSB8-110-M42	8	13	2.5	110	42	30	\	17.4	32	\	24	165	1
BT50-ELSB8-135-M67	8	13	2.5	135	67	30	\	20	32	\	24	190	1
BT50-ELSB8-165-M97	8	13	2.5	165	97	30	\	23.2	32	\	24	220	1
BT50-ELSB8-195-M127	8	13	2.5	195	127	30	\	26.3	32	\	24	250	1
BT50-ELSB8-225-M157	8	13	2.5	225	157	30	\	29.5	42	\	24	280	1
BT50-ELSB8-140-M42	8	13	2.5	140	42	60	\	17.4	32	\	24	195	1
BT50-ELSB8-165-M67	8	13	2.5	165	67	60	\	20	32	\	24	220	1
BT50-ELSB8-195-M97	8	13	2.5	195	97	60	\	23.2	32	\	24	250	1
BT50-ELSB8-225-M127	8	13	2.5	225	127	60	\	26.3	32	\	24	280	1
BT50-ELSB8-255-M157	8	13	2.5	255	157	60	\	29.5	42	\	24	310	1
BT50-ELSB8-170-M42	8	13	2.5	170	42	30	60	17.4	32	46	24	225	2
BT50-ELSB8-195-M67	8	13	2.5	195	67	30	60	20	32	46	24	250	2
BT50-ELSB8-225-M 97	8	13	2.5	225	97	28	62	23.2	32	46	24	280	2
BT50-ELSB8-255-M127	8	13	2.5	255	127	28	62	26.3	32	46	24	310	2
BT50-ELSB8-285-M157	8	13	2.5	285	157	28	62	29.5	42	56	24	340	2
BT50-ELRB8-110-M42	8	18	5	110	42	30	\	22.4	32	\	24	165	1
BT50-ELRB8-135-M67	8	18	5	135	67	30	\	25	32	\	24	190	1
BT50-ELRB8-140-M42	8	18	5	140	42	60	\	22.4	32	\	24	195	1
BT50-ELRB8-165-M67	8	18	5	165	67	60	\	25	32	\	24	220	1
BT50-ELRB8-170-M42	8	18	5	170	42	28	62	22.4	32	46	24	225	2
BT50-ELRB8-195-M67	8	18	5	195	67	30	60	25	32	46	24	250	2
BT50-ELSA10-110-M42	10	13	1.5	110	42	30	\	17.4	25	\	30	165	1
BT50-ELSA10-135-M67	10	13	1.5	135	67	30	\	20	32	\	30	190	1
BT50-ELSA10-165-M97	10	13	1.5	165	97	30	\	23.2	32	\	30	220	1
BT50-ELSA10-140-M42	10	13	1.5	140	42	60	\	17.4	32	\	30	195	1
BT50-ELSA10-165-M67	10	13	1.5	165	67	60	\	20	32	\	30	220	1
BT50-ELSA10-195-M97	10	13	1.5	195	97	60	\	23.2	32	\	30	250	1
BT50-ELSA10-170-M42	10	13	1.5	170	42	33	57	17.4	25	39	30	225	2
BT50-ELSA10-195-M67	10	13	1.5	195	67	28	62	20	32	46	30	250	2
BT50-ELSA10-225-M97	10	13	1.5	225	97	28	62	23.2	32	46	30	280	2
BT50-ELSB10-110-M42	10	16	3	110	42	30	\	20.4	32	\	30	165	1
BT50-ELSB10-135-M67	10	16	3	135	67	30	\	23	32	\	30	190	1
BT50-ELSB10-165-M97	10	16	3	165	97	30	\	26.2	32	\	30	220	1
BT50-ELSB10-195-M127	10	16	3	195	127	30	\	29.3	42	\	30	250	1
BT50-ELSB10-225-M157	10	16	3	225	157	30	\	32.5	50	\	30	280	1
BT50-ELSB10-140-M42	10	16	3	140	42	60	\	20.4	32	\	30	195	1
BT50-ELSB10-165-M67	10	16	3	165	67	60	\	23	32	\	30	220	1
BT50-ELSB10-195-M97	10	16	3	195	97	60	\	26.2	32	\	30	250	1
BT50-ELSB10-225-M127	10	16	3	225	127	60	\	29.3	42	\	30	280	1
BT50-ELSB10-255-M157	10	16	3	255	157	60	\	32.5	42	\	30	310	1
BT50-ELSB10-170-M42	10	16	3	170	42	28	62	20.4	32	46	30	225	2
BT50-ELSB10-195-M67	10	16	3	195	67	30	60	23	32	46	30	250	2
BT50-ELSB10-225-M97	10	16	3	225	97	30	60	26.2	32	46	30	280	2
BT50-ELSB10-255-M127	10	16	3	255	127	28	62	29.3	42	56	30	310	2
BT50-ELSB10-285-M157	10	16	3	285	157	90	\	32.5	42	56	30	340	2
BT50-ELRB10-110-M42	10	22	6	110	42	30	\	26.4	32	\	30	165	1
BT50-ELRB10-135-M67	10	22	6	135	67	30	\	29	42	\	30	190	1
BT50-ELRB10-140-M42	10	22	6	140	42	60	\	26.4	32	\	30	195	1
BT50-ELRB10-165-M67	10	22	6	165	67	60	\	29	42	\	30	220	1
BT50-ELRB10-170-M42	10	22	6	170	42	28	62	26.4	32	46	30	225	2
BT50-ELRB10-195-M67	10	22	6	195	67	28	62	29	42	56	30	250	2

BT50-EL热缩刀柄

BT50-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT50-ELSA12-110-M42	12	15	1.5	110	42	30	\	19.4	32	\	30	165	1
BT50-ELSA12-135-M67	12	15	1.5	135	67	30	\	22	32	\	30	190	1
BT50-ELSA12-165-M97	12	15	1.5	165	97	30	\	25.2	32	\	30	220	1
BT50-ELSA12-140-M42	12	15	1.5	140	42	60	\	19.4	32	\	30	195	1
BT50-ELSA12-165-M67	12	15	1.5	165	67	60	\	22	32	\	30	220	1
BT50-ELSA12-195-M97	12	15	1.5	195	97	60	\	25.2	32	\	30	250	1
BT50-ELSA12-170-M42	12	15	1.5	170	42	28	60	19.4	32	46	30	225	2
BT50-ELSA12-195-M67	12	15	1.5	195	67	28	62	22	32	46	30	250	2
BT50-ELSA12-225-M97	12	15	1.5	225	97	28	62	25.2	32	46	30	280	2
BT50-ELSB12-110-M42	12	19	3.5	110	42	30	\	23.4	32	\	30	165	1
BT50-ELSB12-135-M67	12	19	3.5	135	67	30	\	26	32	\	30	190	1
BT50-ELSB12-165-M97	12	19	3.5	165	97	30	\	29.2	42	\	30	220	1
BT50-ELSB12-195-M127	12	19	3.5	195	127	30	\	32.3	42	\	30	250	1
BT50-ELSB12-225-M157	12	19	3.5	225	157	30	\	35.5	42	\	30	280	1
BT50-ELSB12-140-M42	12	19	3.5	140	42	60	\	23.4	32	\	30	195	1
BT50-ELSB12-165-M67	12	19	3.5	165	67	60	\	26	32	\	30	220	1
BT50-ELSB12-195-M97	12	19	3.5	195	97	60	\	29.2	42	\	30	250	1
BT50-ELSB12-225-M127	12	19	3.5	225	127	60	\	32.3	42	\	30	280	1
BT50-ELSB12-255-M157	12	19	3.5	255	157	60	\	35.5	42	\	30	310	1
BT50-ELSB12-170-M42	12	19	3.5	170	42	28	62	23.4	32	46	30	225	2
BT50-ELSB12-195-M67	12	19	3.5	195	67	28	62	26	32	46	30	250	2
BT50-ELSB12-225-M97	12	19	3.5	225	97	90	\	29.2	42	56	30	280	2
BT50-ELSB12-255-M127	12	19	3.5	255	127	90	\	323	42	56	30	310	2
BT50-ELSB12-285-M157	12	19	3.5	285	157	28	62	35.5	42	56	30	340	2
BT50-ELRB12-110-M42	12	26	7	110	42	30	\	30.4	42	\	30	165	1
BT50-ELRB12-135-M67	12	26	7	135	67	30	\	33	42	\	30	190	1
BT50-ELRB12-140-M42	12	26	7	140	42	60	\	30.4	42	\	30	195	1
BT50-ELRB12-165-M67	12	26	7	165	67	60	\	33	42	\	30	220	1
BT50-ELRB12-170-M42	12	26	7	170	42	28	62	30.4	42	56	30	225	2
BT50-ELRB12-195-M67	12	26	7	195	67	28	62	33	42	56	30	250	2
BT50-ELSB16-110-M42	16	24	4	110	42	30	\	28.4	42	\	32	165	1
BT50-ELSB16-135-M67	16	24	4	135	67	30	\	31	42	\	32	190	1
BT50-ELSB16-165-M97	16	24	4	165	97	30	\	34.2	42	\	32	220	1
BT50-ELSB16-195-M127	16	24	4	195	127	30	\	37.3	53	\	32	250	1
BT50-ELSB16-225-M157	16	24	4	225	157	30	\	40.5	53	\	32	280	1
BT50-ELSB16-140-M42	16	24	4	140	42	60	\	28.4	42	\	32	195	1
BT50-ELSB16-165-M67	16	24	4	165	67	60	\	31	42	\	32	220	1
BT50-ELSB16-195-M97	16	24	4	195	97	60	\	34.2	42	\	32	250	1
BT50-ELSB16-225-M127	16	24	4	225	127	60	\	37.3	53	\	32	280	1
BT50-ELSB16-255-M157	16	24	4	255	157	60	\	40.5	53	\	32	310	1
BT50-ELSB16-170-M42	16	24	4	170	42	28	62	28.4	42	56	32	225	2
BT50-ELSB16-195-M67	16	24	4	195	67	90	\	31	42	56	32	250	2
BT50-ELSB16-225-M97	16	24	4	225	97	28	62	34.2	42	56	32	280	2
BT50-ELSB16-255-M127	16	24	4	255	127	28	62	37.3	53	67	32	310	2
BT50-ELSB16-285-M157	16	24	4	285	157	28	62	40.5	53	67	32	340	2
BT50-ELRB16-110-M42	16	32	8	110	42	30	\	36.4	42	\	32	165	1
BT50-ELRB16-135-M 67	16	32	8	135	67	30	\	39	42	\	32	190	1
BT50-ELRB16-140-M42	16	32	8	140	42	60	\	36.4	42	\	32	195	1
BT50-ELRB16-165-M67	16	32	8	165	67	60	\	39	42	\	32	220	1
BT50-ELRB16-170-M42	16	32	8	170	42	28	62	36.4	42	56	32	225	2
BT50-ELRB16-195-M67	16	32	8	195	67	90	\	39	42	56	32	250	2


BT50-EL热缩刀柄

BT50-EL SHRINK FIT CHUCK

Model	D	C	t	L	M	L1	L2	C1	C2	C3	H	h	FIG
BT50-ELSB20-110-M42	20	29	4.5	110	42	30	\	33.4	42	\	40	165	1
BT50-ELSB20-135-M67	20	29	4.5	135	67	30	\	36	42	\	40	190	1
BT50-ELSB20-165-M97	20	29	4.5	165	97	30	\	39.2	53	\	40	220	1
BT50-ELSB20-195-M127	20	29	4.5	195	127	30	\	42.3	53	\	40	250	1
BT50-ELSB20-225-M157	20	29	4.5	225	157	30	\	45.5	53	\	40	280	1
BT50-ELSB20-140-M42	20	29	4.5	140	42	60	\	33.4	42	\	40	195	1
BT50-ELSB20-165-M67	20	29	4.5	165	67	60	\	36	42	\	40	220	1
BT50-ELSB20-195-M97	20	29	4.5	195	97	60	\	39.2	53	\	40	250	1
BT50-ELSB20-225-M127	20	29	4.5	225	127	60	\	42.3	53	\	40	280	1
BT50-ELSB20-255-M157	20	29	4.5	255	157	60	\	45.5	53	\	40	310	1
BT50-ELSB20-170-M42	20	29	4.5	170	42	28	62	33.4	42	56	40	225	2
BT50-ELSB20-195-M67	20	29	4.5	195	67	90	\	36	42	56	40	250	2
BT50-ELSB20-225-M97	20	29	4.5	225	97	28	62	39.2	53	67	40	280	2
BT50-ELSB20-255-M127	20	29	4.5	255	127	28	62	42.3	53	67	40	310	2
BT50-ELSB20-285-M157	20	29	4.5	285	157	28	62	45.5	53	67	40	340	2
BT50-ELRB20-110-M42	20	38	9	110	42	30	62	42.4	53	\	40	165	1
BT50-ELRB20-135-M67	20	38	9	135	67	30	62	45	53	\	40	190	1
BT50-ELRB20-140-M42	20	38	9	140	42	60	62	42.4	53	\	40	195	1
BT50-ELRB20-165-M67	20	38	9	165	67	60	62	45	53	\	40	220	1
BT50-ELRB20-170-M42	20	38	9	170	42	28	62	42.4	53	67	40	225	2
BT50-ELRB20-195-M67	20	38	9	195	67	28	62	45	53	67	40	250	2
BT50-ELRB25-110-M42	25	45	10	110	42	30	\	49.4	53	\	45	165	1
BT50-ELRB25-140-M42	25	45	10	140	42	60	\	49.4	53	\	45	195	1
BT50-ELRB25-170-M42	25	45	10	170	42	90	71	49.4	53	67	45	225	2

HSK63A-SF热缩刀柄


HSK63A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	D	D1	D2	d	R	FIG	KGS
HSK63A-SF03-80	112	80	54	26	12	63	15	20	3	5	1	0.7
HSK63A-SF03-20	152	120	94	26	12	63	15	20	3	5	2	1.1
HSK63A-SF03-160	192	160	134	26	12	63	15	25	3	5	2	1.3
HSK63A-SF04-80	112	80	54	26	16	63	15	20	4	5	1	0.7
HSK63A-SF04-120	152	120	94	26	16	63	15	20	4	5	2	1.1
HSK63A-SF04-160	192	160	134	26	16	63	15	25	4	5	2	1.3
HSK63A-SF05-80	112	80	54	26	18	63	15	20	5	5	1	0.7
HSK63A-SF05-120	152	120	94	26	18	63	15	20	5	5	2	1.1
HSK63A-SF05-160	192	160	134	26	18	63	15	25	5	5	2	1.3

HSK63A-SF热缩刀柄


HSK63A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
HSK63A-SF06-80	112	80	54	26	26	36	\	63	21	27	\	6	M5*0.8P	M6*1.0P	3	1	0.8
HSK63A-SF06-120	152	120	94	26	26	36	\	63	21	27	\	6	M5*0.8P	M6*1.0P	10	2	1.1
HSK63A-SF06-160	192	160	134	26	26	36	79	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	1.4
HSK63A-SF06-200	232	200	174	26	26	36	119	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	1.8
HSK63A-SF06-250	282	250	224	26	26	36	169	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	2.2
HSK63A-SF06-300	332	300	274	26	26	36	219	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	2.6
HSK63A-SF08-80	112	80	54	26	26	36	\	63	21	27	\	8	M6*1.0P	M6*1.0P	3	1	0.8
HSK63A-SF08-120	152	120	94	26	26	36	\	63	21	27	\	8	M6*1.0P	M6*1.0P	10	2	1.1
HSK63A-SF08-160	192	160	134	26	26	36	79	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	1.4
HSK63A-SF08-200	232	200	174	26	26	36	119	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	1.8
HSK63A-SF08-250	282	250	224	26	26	36	169	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	2.2
HSK63A-SF08-300	332	300	274	26	26	36	219	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	2.6
HSK63A-SF10-85	117	85	59	26	32	42	\	63	24	32	\	10	M8*1.0P	M6*1.0P	2	1	0.9
HSK63A-SF10-120	152	120	94	26	32	42	\	63	24	32	\	10	M8*1.0P	M6*1.0P	8	2	1.2
HSK63A-SF10-160	192	160	134	26	32	42	79	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	1.5
HSK63A-SF10-200	232	200	174	26	32	42	119	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	1.9
HSK63A-SF10-250	282	250	224	26	32	42	169	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	2.3
HSK63A-SF10-300	332	300	274	26	32	42	219	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	2.7
HSK63A-SF12-90	122	90	64	26	37	47	\	63	24	32	\	12	M10*1.0P	M6*1.0P	3	1	0.9
HSK63A-SF12-120	152	120	94	26	37	47	\	63	24	32	\	12	M10*1.0P	M6*1.0P	8	2	1.2
HSK63A-SF12-160	192	160	134	26	37	47	79	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	1.5
HSK63A-SF12-200	232	200	174	26	37	47	119	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	1.9
HSK63A-SF12-250	282	250	224	26	37	47	169	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	2.3
HSK63A-SF12-300	332	300	274	26	37	47	219	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	2.7
HSK63A-SF14-90	122	90	64	26	37	47	\	63	27	34	\	14	M10*1.0P	M6*1.0P	3	1	0.9
HSK63A-SF14-120	152	120	94	26	37	47	\	63	27	34	\	14	M10*1.0P	M6*1.0P	8	2	1.2
HSK63A-SF14-160	192	160	134	26	37	47	78	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	1.5
HSK63A-SF14-200	232	200	174	26	37	47	118	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	1.9
HSK63A-SF14-250	282	250	224	26	37	47	168	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	2.3
HSK63A-SF14-300	332	300	274	26	37	47	218	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	2.7

HSK63A-SF热缩刀柄


HSK63A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
HSK63A-SF16-95	127	95	69	26	40	50	\	63	27	34	\	16	M12*1.0P	M6*1.0P	3	1	0.9
HSK63A-SF16-120	152	120	94	26	40	50	\	63	27	34	\	16	M12*1.0P	M6*1.0P	8	2	1.2
HSK63A-SF16-160	192	160	134	26	40	50	78	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	1.5
HSK63A-SF16-200	232	200	174	26	40	50	118	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	1.9
HSK63A-SF16-250	282	250	224	26	40	50	168	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	2.3
HSK63A-SF16-300	332	300	274	26	40	50	218	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	2.7
HSK63A-SF18-95	127	95	69	26	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	4	1	1.1
HSK63A-SF18-120	152	120	94	26	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	1.3
HSK63A-SF18-160	192	160	134	26	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	1.6
HSK63A-SF18-200	232	200	174	26	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	2.1
HSK63A-SF18-250	282	250	224	26	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	2.6
HSK63A-SF18-300	332	300	274	26	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	3.1
HSK63A-SF20-100	132	100	74	26	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	1	1.1
HSK63A-SF20-120	152	120	94	26	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	1.3
HSK63A-SF20-160	192	160	134	26	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	1.6
HSK63A-SF20-200	232	200	174	26	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	2.1
HSK63A-SF20-250	282	250	224	26	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	2.6
HSK63A-SF20-300	332	300	274	26	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	3.1
HSK63A-SF25-115	147	115	89	26	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	1	1	1.9
HSK63A-SF25-130	162	130	104	26	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	1	2	2.1
HSK63A-SF25-160	192	160	134	26	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	1	2	2.2
HSK63A-SF25-200	232	200	174	26	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	1	2	2.6
HSK63A-SF25-250	282	250	224	26	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	1	2	3
HSK63A-SF25-300	332	300	274	26	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	1	2	3.4
HSK63A-SF32-120	152	120	94	26	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	1	1	1.9
HSK63A-SF32-130	162	130	104	26	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	1	2	2.2
HSK63A-SF32-160	192	160	134	26	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	1	2	2.3
HSK63A-SF32-200	232	200	174	26	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	1	2	2.7
HSK63A-SF32-250	282	250	224	26	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	1	2	3.1
HSK63A-SF32-300	332	300	274	26	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	1	2	3.4

HSK80A-SF热缩刀柄


HSK80A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
HSK80A-SF06-85	125	85	59	26	26	36	\	80	21	27	\	6	M5*0.8P	M6*1.0P		1	1.4
HSK80A-SF06-120	160	120	94	26	26	36	\	80	21	27	\	6	M5*0.8P	M6*1.0P		2	1.5
HSK80A-SF06-160	200	160	134	26	26	36	61	80	21	27	39	6	M5*0.8P	M6*1.0P		3	2.1
HSK80A-SF06-200	240	200	174	26	26	36	101	80	21	27	39	6	M5*0.8P	M6*1.0P		3	2.2
HSK80A-SF08-85	125	85	59	26	26	36	\	80	21	27	\	8	M6*1.0P	M6*1.0P		1	1.4
HSK80A-SF08-120	160	120	95	26	26	36	\	80	21	27	\	8	M6*1.0P	M6*1.0P		2	1.5
HSK80A-SF08-160	200	160	134	26	26	36	61	80	21	27	39	8	M6*1.0P	M6*1.0P		3	2.1
HSK80A-SF08-200	240	200	174	26	26	36	101	80	21	27	39	8	M6*1.0P	M6*1.0P		3	2.2
HSK80A-SF10-90	130	90	64	26	32	42	\	80	24	32	\	10	M8*1.0P	M6*1.0P		1	1.5
HSK80A-SF10-120	160	120	94	26	32	42	\	80	24	32	\	10	M8*1.0P	M6*1.0P		2	1.6
HSK80A-SF10-160	200	160	134	26	32	42	72	80	24	32	39	10	M8*1.0P	M6*1.0P		3	2.1
HSK80A-SF10-200	240	200	174	26	32	42	101	80	24	32	44	10	M8*1.0P	M6*1.0P		3	2.3
HSK80A-SF12-95	135	95	69	26	37	47	\	80	24	32	\	12	M10*1.0P	M6*1.0P		1	1.5
HSK80A-SF12-120	160	120	94	26	37	47	\	80	24	32	\	12	M10*1.0P	M6*1.0P		2	1.6
HSK80A-SF12-160	200	160	134	26	37	47	72	80	24	32	39	12	M10*1.0P	M6*1.0P		3	2.1
HSK80A-SF12-200	240	200	174	26	37	47	101	80	24	32	44	12	M10*1.0P	M6*1.0P		3	2.3
HSK80A-SF14-95	135	95	69	26	37	47	\	80	27	34	\	14	M10*1.0P	M6*1.0P		1	1.5
HSK80A-SF14-120	160	120	94	26	37	47	\	80	27	34	\	14	M10*1.0P	M6*1.0P		2	1.7
HSK80A-SF14-160	200	160	134	26	37	47	66	80	27	34	44	14	M10*1.0P	M6*1.0P		3	2.1
HSK80A-SF14-200	240	200	174	26	37	47	101	80	27	34	46	14	M10*1.0P	M6*1.0P		3	2.2

HSK80A-SF热缩刀柄


HSK80A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	FIG	KGS
HSK80A-SF16-100	140	100	74	26	40	50	\	80	27	34	\	16	M12*1.0P	M6*1.0P	1	1.5
HSK80A-SF16-120	160	120	94	26	40	50	\	80	27	34	\	16	M12*1.0P	M6*1.0P	2	1.8
HSK80A-SF16-160	200	160	134	26	40	50	66	80	27	34	44	16	M12*1.0P	M6*1.0P	3	2.1
HSK80A-SF16-200	240	200	174	26	40	50	101	80	27	34	46	16	M12*1.0P	M6*1.0P	3	2.2
HSK80A-SF18-100	140	100	74	26	40	50	\	80	33	42	\	18	M12*1.0P	M6*1.0P	1	1.6
HSK80A-SF18-120	160	120	94	26	40	50	\	80	33	42	\	18	M12*1.0P	M6*1.0P	2	1.9
HSK80A-SF18-160	200	160	134	26	40	50	\	80	33	42	\	18	M12*1.0P	M6*1.0P	3	2.2
HSK80A-SF18-200	240	200	174	26	40	50	\	80	33	42	\	18	M12*1.0P	M6*1.0P	3	2.6
HSK80A-SF20-105	145	105	79	26	42	52	\	80	33	42	\	20	M16*1.0P	M6*1.0P	1	1.6
HSK80A-SF20-120	160	120	94	26	42	52	\	80	33	42	\	20	M16*1.0P	M6*1.0P	2	2.1
HSK80A-SF20-160	200	160	134	26	42	52	\	80	33	42	\	20	M16*1.0P	M6*1.0P	3	2.3
HSK80A-SF20-200	240	200	174	26	42	52	\	80	33	42	\	20	M16*1.0P	M6*1.0P	3	2.7
HSK80A-SF25-115	155	115	89	26	48	58	\	80	44	53	\	25	M16*1.0P	M6*1.0P	1	2.5
HSK80A-SF25-160	200	160	134	26	48	58	\	80	44	53	\	25	M16*1.0P	M6*1.0P	3	2.8
HSK80A-SF25-200	240	200	174	26	48	58	\	80	44	53	\	25	M16*1.0P	M6*1.0P	3	3.6
HSK80A-SF32-120	160	120	94	26	52	62	\	80	44	53	\	32	M16*1.0P	M6*1.0P	1	2.5
HSK80A-SF32-160	200	160	134	26	52	62	\	80	44	53	\	32	M16*1.0P	M6*1.0P	3	3.2
HSK80A-SF32-200	240	200	174	26	52	62	\	80	44	53	\	32	M16*1.0P	M6*1.0P	3	3.5

HSK100A-SF热缩刀柄


HSK100A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	D	D1	D2	d	R	FIG	KGS
HSK100A-SF03-85	135	85	56	29	12	100	15	20	3	10	1	2.2
HSK100A-SF03-120	170	120	91	29	12	100	15	20	3	10	2	2.5
HSK100A-SF03-160	210	160	131	29	12	100	15	25	3	10	2	2.8
HSK100A-SF04-85	135	85	56	29	16	100	15	20	4	10	1	2.2
HSK100A-SF04-120	170	120	91	29	16	100	15	20	4	10	2	2.5
HSK100A-SF04-160	210	160	131	29	16	100	15	25	4	10	2	2.8
HSK100A-SF05-85	135	85	56	29	18	100	15	20	5	10	1	2.2
HSK100A-SF05-120	170	120	91	29	18	100	15	20	5	10	2	2.5
HSK100A-SF05-160	210	160	131	29	18	100	15	25	5	10	2	2.8

HSK100A-SF热缩刀柄


HSK100A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
HSK100A-SF06-85	135	85	56	29	26	36	\	100	21	27	\	6	M5*0.8P	M6*1.0P	7	1	2.2
HSK100A-SF06-120	170	120	91	29	26	36	\	100	21	27	\	6	M5*0.8P	M6*1.0P	10	2	2.5
HSK100A-SF06-160	210	160	131	29	26	36	61	100	21	27	39	6	M5*0.8P	M6*1.0P	20	3	2.8
HSK100A-SF06-200	250	200	171	29	26	36	101	100	21	27	39	6	M5*0.8P	M6*1.0P	20	3	3.2
HSK100A-SF06-250	300	250	221	29	26	36	151	100	21	27	39	6	M5*0.8P	M6*1.0P	20	3	3.6
HSK100A-SF06-300	350	300	271	29	26	36	201	100	21	27	39	6	M5*0.8P	M6*1.0P	20	3	4
HSK100A-SF08-85	135	85	56	29	26	36	\	100	21	27	\	8	M6*1.0P	M6*1.0P	7	1	2.2
HSK100A-SF08-120	170	120	91	29	26	36	\	100	21	27	\	8	M6*1.0P	M6*1.0P	10	2	2.5
HSK100A-SF08-160	210	160	131	29	26	36	61	100	21	27	39	8	M6*1.0P	M6*1.0P	20	3	2.8
HSK100A-SF08-200	250	200	171	29	26	36	101	100	21	27	39	8	M6*1.0P	M6*1.0P	20	3	3.2
HSK100A-SF08-250	300	250	221	29	26	36	151	100	21	24	39	5	M6*1.0P	M6*1.0P	20	3	3.6
HSK100A-SF08-300	350	300	271	29	26	36	201	100	21	24	39	5	M6*1.0P	M6*1.0P	20	3	4
HSK100A-SF10-90	140	90	61	29	32	42	\	100	24	32	\	10	M8*1.0P	M6*1.0P	5	1	2.3
HSK100A-SF10-120	170	120	91	29	32	42	\	100	24	32	\	10	M8*1.0P	M6*1.0P	10	2	2.6
HSK100A-SF10-160	210	160	131	29	32	42	72	100	24	32	39	10	M8*1.0P	M6*1.0P	20	3	2.9
HSK100A-SF10-200	250	200	171	29	32	42	101	100	24	32	44	10	M8*1.0P	M6*1.0P	20	3	3.3
HSK100A-SF10-250	300	250	221	29	32	41	151	100	24	32	44	10	M8*1.0P	M6*1.0P	20	3	3.7
HSK100A-SF10-300	350	300	271	29	26	41	201	100	24	32	44	10	M8*1.0P	M6*1.0P	20	3	4.1
HSK100A-SF12-95	145	95	66	29	37	47	\	100	24	32	\	12	M10*1.0P	M6*1.0P	5	1	2.3
HSK100A-SF12-120	170	120	91	29	37	47	\	100	24	32	\	12	M10*1.0P	M6*1.0P	10	2	2.6
HSK100A-SF12-160	210	160	131	29	37	47	72	100	24	32	39	12	M10*1.0P	M6*1.0P	20	3	2.9
HSK100A-SF12-200	250	200	171	29	37	47	101	100	24	32	44	12	M10*1.0P	M6*1.0P	20	3	3.3
HSK100A-SF12-250	300	250	221	29	37	47	151	100	24	32	44	12	M10*1.0P	M6*1.0P	20	3	3.7
HSK100A-SF12-300	350	300	271	29	37	47	201	100	24	32	44	12	M10*1.0P	M6*1.0P	20	3	4.1
HSK100A-SF14-95	145	95	66	29	37	47	\	100	27	34	\	14	M10*1.0P	M6*1.0P	5	1	2.3
HSK100A-SF14-120	170	120	91	29	37	47	\	100	27	34	\	14	M10*1.0P	M6*1.0P	10	2	2.6
HSK100A-SF14-160	210	160	131	29	37	47	66	100	27	34	44	14	M10*1.0P	M6*1.0P	20	3	2.9
HSK100A-SF14-200	250	200	171	29	37	47	101	100	27	34	46	14	M10*1.0P	M6*1.0P	20	3	3.3
HSK100A-SF14-250	300	250	221	29	37	47	151	100	27	34	46	14	M10*1.0P	M6*1.0P	20	3	3.7
HSK100A-SF14-300	350	300	271	29	26	41	201	100	24	32	46	14	M10*1.0P	M6*1.0P	20	3	4.1

HSK100A-SF热缩刀柄


HSK100A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
HSK100A-SF16-100	150	100	71	29	40	50	\	100	27	34	\	16	M12*1.0P	M6*1.0P	5	1	2.3
HSK100A-SF16-120	170	120	91	29	40	50	\	100	27	34	\	16	M12*1.0P	M6*1.0P	10	2	2.6
HSK100A-SF16-160	210	160	131	29	40	50	66	100	27	34	44	16	M12*1.0P	M6*1.0P	20	3	2.9
HSK100A-SF16-200	250	200	171	29	40	50	101	100	27	34	46	16	M12*1.0P	M6*1.0P	20	3	3.3
HSK100A-SF16-250	300	250	221	29	40	50	151	100	27	34	46	16	M12*1.0P	M6*1.0P	20	3	3.7
HSK100A-SF16-300	350	300	271	29	40	50	201	100	27	34	46	16	M12*1.0P	M6*1.0P	20	3	4.1
HSK100A-SF18-100	150	100	71	29	40	50	\	100	33	42	\	18	M12*1.0P	M6*1.0P	5	1	2.4
HSK100A-SF18-120	170	120	91	29	40	50	\	100	33	42	\	18	M12*1.0P	M6*1.0P	10	2	2.7
HSK100A-SF18-160	210	160	131	29	40	50	78	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	3.1
HSK100A-SF18-200	250	200	171	29	40	50	116	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	3.4
HSK100A-SF18-250	300	250	221	29	40	50	166	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	3.8
HSK100A-SF18-300	350	300	271	29	40	50	216	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	4.2
HSK100A-SF20-105	155	105	76	29	42	52	\	100	33	42	\	20	M16*1.0P	M6*1.0P	5	1	2.4
HSK100A-SF20-120	170	120	91	29	42	52	\	100	33	42	\	20	M16*1.0P	M6*1.0P	10	2	2.7
HSK100A-SF20-160	210	160	131	29	42	52	78	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	3.1
HSK100A-SF20-200	250	200	171	29	42	52	116	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	3.4
HSK100A-SF20-250	300	250	221	29	42	52	166	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	3.8
HSK100A-SF20-300	350	300	271	29	42	52	216	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	4.2
HSK100A-SF25-115	165	115	86	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	5	1	3.2
HSK100A-SF25-130	180	130	101	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	10	2	3.4
HSK100A-SF25-160	210	160	131	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	3.6
HSK100A-SF25-200	250	200	171	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	4.1
HSK100A-SF25-250	300	250	221	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	4.6
HSK100A-SF25-300	350	300	271	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	5.1
HSK100A-SF32-120	170	120	91	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	5	1	3.2
HSK100A-SF32-140	190	140	111	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	10	2	3.4
HSK100A-SF32-160	210	160	131	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	3.6
HSK100A-SF32-200	250	200	171	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	4.1
HSK100A-SF32-250	300	250	221	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	4.6
HSK100A-SF32-300	350	300	271	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	5.1

HSK100A-SF热缩刀柄


HSK100A-SF SHRINK FIT CHUCK



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
HSK100A-SF16-100	150	100	71	29	40	50	\	100	27	34	\	16	M12*1.0P	M6*1.0P	5	1	2.3
HSK100A-SF16-120	170	120	91	29	40	50	\	100	27	34	\	16	M12*1.0P	M6*1.0P	10	2	2.6
HSK100A-SF16-160	210	160	131	29	40	50	66	100	27	34	44	16	M12*1.0P	M6*1.0P	20	3	2.9
HSK100A-SF16-200	250	200	171	29	40	50	101	100	27	34	46	16	M12*1.0P	M6*1.0P	20	3	3.3
HSK100A-SF16-250	300	250	221	29	40	50	151	100	27	34	46	16	M12*1.0P	M6*1.0P	20	3	3.7
HSK100A-SF16-300	350	300	271	29	40	50	201	100	27	34	46	16	M12*1.0P	M6*1.0P	20	3	4.1
HSK100A-SF18-100	150	100	71	29	40	50	\	100	33	42	\	18	M12*1.0P	M6*1.0P	5	1	2.4
HSK100A-SF18-120	170	120	91	29	40	50	\	100	33	42	\	18	M12*1.0P	M6*1.0P	10	2	2.7
HSK100A-SF18-160	210	160	131	29	40	50	78	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	3.1
HSK100A-SF18-200	250	200	171	29	40	50	116	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	3.4
HSK100A-SF18-250	300	250	221	29	40	50	166	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	3.8
HSK100A-SF18-300	350	300	271	29	40	50	216	100	33	42	46	18	M12*1.0P	M6*1.0P	20	3	4.2
HSK100A-SF20-105	155	105	76	29	42	52	\	100	33	42	\	20	M16*1.0P	M6*1.0P	5	1	2.4
HSK100A-SF20-120	170	120	91	29	42	52	\	100	33	42	\	20	M16*1.0P	M6*1.0P	10	2	2.7
HSK100A-SF20-160	210	160	131	29	42	52	78	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	3.1
HSK100A-SF20-200	250	200	171	29	42	52	116	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	3.4
HSK100A-SF20-250	300	250	221	29	42	52	166	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	3.8
HSK100A-SF20-300	350	300	271	29	42	52	216	100	33	42	46	20	M16*1.0P	M6*1.0P	20	3	4.2
HSK100A-SF25-115	165	115	86	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	5	1	3.2
HSK100A-SF25-130	180	130	101	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	10	2	3.4
HSK100A-SF25-160	210	160	131	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	3.6
HSK100A-SF25-200	250	200	171	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	4.1
HSK100A-SF25-250	300	250	221	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	4.6
HSK100A-SF25-300	350	300	271	29	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	16	2	5.1
HSK100A-SF32-120	170	120	91	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	5	1	3.2
HSK100A-SF32-140	190	140	111	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	10	2	3.4
HSK100A-SF32-160	210	160	131	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	3.6
HSK100A-SF32-200	250	200	171	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	4.1
HSK100A-SF32-250	300	250	221	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	4.6
HSK100A-SF32-300	350	300	271	29	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	16	2	5.1

BT30-SF热缩刀柄 (4.5度标准型)


BT30-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	D	D1	D2	d	R	FIG	KGS
BT30-SF03-80	128.4	80	58	22	12	46	15	20	3	5	1	0.6
BT30-SF04-80	128.4	80	58	22	16	46	15	20	4	5	1	0.6
BT30-SF04-120	168.4	120	98	22	16	46	15	20	4	5	2	0.7
BT30-SF05-80	128.4	80	58	22	18	46	15	20	5	5	1	0.6
BT30-SF05-120	168.4	120	98	22	18	46	15	20	5	5	2	0.7

BT30-SF热缩刀柄 (4.5度标准型)


BT30-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	L5	D	D1	D2	d	T	T1	R	FIG	KGS
BT30-SF06-80	128.4	80	58	22	26	36	46	21	27	6	M5*0.8P	M6*1.0P	1	1	0.7
BT30-SF06-120	168.4	120	98	22	26	36	46	21	27	6	M5*0.8P	M6*1.0P	5	2	0.9
BT30-SF08-80	128.4	80	58	22	26	36	46	21	27	8	M6*1.0P	M6*1.0P	1	1	0.7
BT30-SF08-120	168.4	120	98	22	26	36	46	21	27	8	M6*1.0P	M6*1.0P	5	2	0.9
BT30-SF10-80	128.4	80	58	22	32	42	46	24	32	10	M8*1.0P	M6*1.0P	1	1	0.8
BT30-SF10-120	168.4	120	98	22	32	42	46	24	32	10	M8*1.0P	M6*1.0P	5	2	1.1
BT30-SF12-80	128.4	80	58	22	37	47	46	24	32	12	M10*1.0P	M6*1.0P	1	1	0.8
BT30-SF12-120	168.4	120	98	22	37	47	46	24	32	12	M10*1.0P	M6*1.0P	5	2	1.1
BT30-SF14-80	128.4	80	58	22	37	47	46	27	34	14	M10*1.0P	M6*1.0P	1	1	0.8
BT30-SF14-120	168.4	120	98	22	37	47	46	27	34	14	M10*1.0P	M6*1.0P	3	2	1.1
BT30-SF16-90	138.4	90	68	22	40	50	46	27	34	16	M12*1.0P	M6*1.0P	1	1	0.8
BT30-SF16-120	168.4	120	98	22	40	50	46	27	34	16	M12*1.0P	M6*1.0P	3	2	1.1
BT30-SF18-90	138.4	90	68	22	40	50	46	33	42	18	M12*1.0P	M6*1.0P	1	1	1
BT30-SF18-120	168.4	120	98	22	40	50	46	33	42	18	M12*1.0P	M6*1.0P	1	2	1.5
BT30-SF20-90	138.4	90	68	22	42	52	46	33	42	20	M16*1.0P	M6*1.0P	1	1	1
BT30-SF20-120	168.4	120	98	22	42	52	46	33	42	20	M16*1.0P	M6*1.0P	1	2	1.5

BT40-SF热缩刀柄 (4.5度标准型)


BT40-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	D	D1	D2	d	R	FIG	KGS
BT40-SF03-90	155.4	90	63	27	12	63	15	20	3	5	1	1.1
BT40-SF03-120	185.4	120	93	27	12	63	15	20	3	5	2	1.2
BT40-SF03-160	225.4	160	133	27	12	63	15	25	3	5	2	1.3
BT40-SF04-90	155.4	90	63	27	16	63	15	20	4	5	1	1.1
BT40-SF04-120	185.4	120	93	27	16	63	15	20	4	5	2	1.2
BT40-SF04-160	225.4	160	133	27	16	63	15	25	4	5	2	1.3
BT40-SF05-90	155.4	90	63	27	18	63	15	20	5	5	1	1.1
BT40-SF05-120	185.4	120	93	27	18	63	15	20	5	5	2	1.2
BT40-SF05-160	225.4	160	133	27	18	63	15	25	5	5	2	1.3

BT40-SF热缩刀柄 (4.5度标准型)


BT40-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
BT40-SF06-90	155.4	90	63	27	26	36	\	63	21	27	\	6	M5*0.8P	M6*1.0P	5	1	1.2
BT40-SF06-120	185.4	120	93	27	26	36	\	63	21	27	\	6	M5*0.8P	M6*1.0P	5	2	1.5
BT40-SF06-160	225.4	160	133	27	26	36	79	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	1.8
BT40-SF06-200	265.4	200	173	27	26	36	119	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	2.2
BT40-SF06-250	315.4	250	223	27	26	36	169	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	2.6
BT40-SF06-300	365.4	300	273	27	26	36	219	63	21	27	40	6	M5*0.8P	M6*1.0P	6	3	3.1
BT40-SF08-90	155.4	90	63	27	26	36	\	63	21	27	\	8	M6*1.0P	M6*1.0P	5	1	1.2
BT40-SF08-120	185.4	120	93	27	26	36	\	63	21	27	\	8	M6*1.0P	M6*1.0P	5	2	1.5
BT40-SF08-160	225.4	160	133	27	26	36	79	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	1.8
BT40-SF08-200	265.4	200	173	27	26	36	119	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	2.2
BT40-SF08-250	315.4	250	223	27	26	36	169	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	2.6
BT40-SF08-300	365.4	300	273	27	26	36	219	63	21	27	40	8	M6*1.0P	M6*1.0P	6	3	3.1
BT40-SF10-90	155.4	90	63	27	32	42	\	63	24	32	\	10	M8*1.0P	M6*1.0P	3	1	1.3
BT40-SF10-120	185.4	120	93	27	32	42	\	63	24	32	\	10	M8*1.0P	M6*1.0P	10	2	1.6
BT40-SF10-160	225.4	160	133	27	32	42	79	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	1.9
BT40-SF10-200	265.4	200	173	27	32	42	119	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	2.3
BT40-SF10-250	315.4	250	223	27	32	42	169	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	2.7
BT40-SF10-300	365.4	300	273	27	32	42	219	63	24	32	39	10	M8*1.0P	M6*1.0P	7	3	3.2
BT40-SF12-90	155.4	90	63	27	37	47	\	63	24	32	\	12	M10*1.0P	M6*1.0P	3	1	1.3
BT40-SF12-120	185.4	120	93	27	37	47	\	63	24	32	\	12	M10*1.0P	M6*1.0P	10	2	1.6
BT40-SF12-160	225.4	160	133	27	37	47	119	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	1.9
BT40-SF12-200	265.4	200	173	27	37	47	119	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	2.3
BT40-SF12-250	315.4	250	223	27	37	47	169	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	2.7
BT40-SF12-300	365.4	300	273	27	37	47	219	63	24	32	39	12	M10*1.0P	M6*1.0P	7	3	3.1
BT40-SF14-90	155.4	90	63	27	37	48	\	63	27	34	\	14	M10*1.0P	M6*1.0P	3	1	1.3
BT40-SF14-120	185.4	120	93	27	37	47	\	63	27	34	\	14	M10*1.0P	M6*1.0P	10	2	1.6
BT40-SF14-160	225.4	160	133	27	37	47	78	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	1.9
BT40-SF14-200	265.4	200	173	27	37	47	118	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	2.3
BT40-SF14-250	315.4	250	223	27	37	47	168	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	2.7
BT40-SF14-300	365.4	300	273	27	37	47	218	63	27	34	42	14	M10*1.0P	M6*1.0P	5	3	3.1

BT40-SF热缩刀柄 (4.5度标准型)


BT40-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
BT40-SF16-90	155.4	90	63	27	40	50	\	63	27	34	\	16	M12*1.0P	M6*1.0P	3	1	1.3
BT40-SF16-120	185.4	120	93	27	40	50	\	63	27	34	\	16	M12*1.0P	M6*1.0P	10	2	1.6
BT40-SF16-160	225.4	160	133	27	40	50	78	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	1.9
BT40-SF16-200	265.4	200	173	27	40	50	118	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	2.3
BT40-SF16-250	315.4	250	223	27	40	50	168	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	2.7
BT40-SF16-300	365.4	300	273	27	40	50	218	63	27	34	42	16	M12*1.0P	M6*1.0P	5	3	3.1
BT40-SF18-90	155.4	90	63	27	40	50	\	63	33	41	\	18	M12*1.0P	M6*1.0P	2	1	1.4
BT40-SF18-120	185.4	120	93	27	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	1.8
BT40-SF18-160	225.4	160	133	27	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	2.1
BT40-SF18-200	265.4	200	173	27	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	2.4
BT40-SF18-250	315.4	250	223	27	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	2.8
BT40-SF18-300	365.4	300	273	27	40	50	\	63	33	42	\	18	M12*1.0P	M6*1.0P	5	2	3.2
BT40-SF20-90	155.4	90	63	27	42	50	\	63	33	41	\	20	M16*1.0P	M6*1.0P	2	1	1.4
BT40-SF20-120	185.4	120	93	27	42	50	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	1.8
BT40-SF20-160	225.4	160	133	27	42	50	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	2.1
BT40-SF20-200	265.4	200	173	27	42	50	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	2.4
BT40-SF20-250	315.4	250	223	27	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	2.8
BT40-SF20-300	365.4	300	273	27	42	52	\	63	33	42	\	20	M16*1.0P	M6*1.0P	5	2	3.2
BT40-SF25-100	155.4	90	63	27	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	2	1	2.1
BT40-SF25-120	185.4	120	93	27	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	2	2	2.3
BT40-SF25-160	225.4	160	133	27	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	2	2	2.6
BT40-SF25-200	265.4	200	173	27	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	2	2	3.1
BT40-SF25-250	315.4	250	223	27	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	2	2	3.6
BT40-SF25-300	365.4	300	273	27	48	58	\	63	44	53	\	25	M16*1.0P	M6*1.0P	2	2	4.1
BT40-SF32-100	155.4	90	63	27	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	2	1	2.1
BT40-SF32-120	185.4	120	93	27	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	2	2	2.3
BT40-SF32-160	225.4	160	133	27	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	2	2	2.6
BT40-SF32-200	265.4	200	173	27	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	2	2	3.1
BT40-SF32-250	315.4	250	223	27	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	2	2	3.6
BT40-SF32-300	365.4	300	273	27	52	62	\	63	44	53	\	32	M16*1.0P	M6*1.0P	2	2	4.1

BT50-SF热缩刀柄 (4.5度标准型)


BT50-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	D	D1	D2	d	R	FIG	KGS
BT50-SF03-100	201.8	100	62	38	12	100	15	20	3	10	1	3.7
BT50-SF03-120	221.8	120	82	38	12	100	15	20	3	10	2	3.9
BT50-SF03-160	261.8	160	122	38	12	100	15	25	3	10	2	4.2
BT50-SF04-100	201.8	100	62	38	16	100	15	20	4	10	1	3.7
BT50-SF04-120	221.8	120	82	38	16	100	15	20	4	10	2	3.9
BT50-SF04-160	261.8	160	122	38	16	100	15	25	4	10	2	4.2
BT50-SF05-100	201.8	100	62	38	18	100	15	20	5	10	1	3.7
BT50-SF05-120	221.8	120	82	38	18	100	15	20	5	10	2	3.9
BT50-SF05-160	261.8	160	122	38	18	100	15	25	5	10	2	4.2

BT50-SF热缩刀柄 (4.5度标准型)


BT50-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
BT50-SF06-100	201.8	100	62	38	26	36	\	100	21	27	\	6	M5*0.8P	M6*1.0P	2	1	3.7
BT50-SF06-120	221.8	120	82	38	26	36	\	100	21	27	\	6	M5*0.8P	M6*1.0P	12	2	3.9
BT50-SF06-160	261.8	160	122	38	26	36	58	100	21	27	39	6	M5*0.8P	M6*1.0P	12	3	4.2
BT50-SF06-200	301.8	200	162	38	26	36	92	100	21	27	42	6	M5*0.8P	M6*1.0P	12	3	5.8
BT50-SF06-250	351.8	250	212	38	26	36	142	100	21	27	42	6	M5*0.8P	M6*1.0P	12	3	7.4
BT50-SF06-300	401.8	300	262	38	26	36	192	100	21	27	42	6	M5*0.8P	M6*1.0P	12	3	8.9
BT50-SF08-100	201.8	100	62	38	26	36	\	100	21	27	\	8	M6*1.0P	M6*1.0P	2	1	3.8
BT50-SF08-120	221.8	120	82	38	26	36	\	100	21	27	\	8	M6*1.0P	M6*1.0P	12	2	3.9
BT50-SF08-160	261.8	160	122	38	26	36	58	100	21	27	39	8	M6*1.0P	M6*1.0P	12	3	4.2
BT50-SF08-200	301.8	200	162	38	26	36	92	100	21	27	42	8	M6*1.0P	M6*1.0P	12	3	5.8
BT50-SF08-250	351.8	250	212	38	26	36	142	100	21	27	42	8	M6*1.0P	M6*1.0P	12	3	7.4
BT50-SF08-300	401.8	300	262	38	26	36	192	100	21	27	42	8	M5*0.8P	M6*1.0P	12	3	8.9
BT50-SF10-100	201.8	100	62	38	32	42	\	100	24	32	\	10	M8*1.0P	M6*1.0P	2	1	3.9
BT50-SF10-120	221.8	120	82	38	32	42	\	100	24	32	\	10	M8*1.0P	M6*1.0P	10	2	4.1
BT50-SF10-160	261.8	160	122	38	32	42	72	100	24	32	38	10	M8*1.0P	M6*1.0P	15	3	4.3
BT50-SF10-200	301.8	200	162	38	32	42	107	100	24	32	39	10	M8*1.0P	M6*1.0P	15	3	5.9
BT50-SF10-250	351.8	250	212	38	32	42	127	100	24	32	39	10	M8*1.0P	M6*1.0P	15	3	7.5
BT50-SF10-300	401.8	300	262	38	32	42	207	100	21	27	39	10	M5*0.8P	M6*1.0P	15	3	8.9
BT50-SF12-100	201.8	100	62	38	37	47	\	100	24	32	\	12	M10*1.0P	M6*1.0P	2	1	3.9
BT50-SF12-120	221.8	120	82	38	37	47	\	100	24	32	\	12	M10*1.0P	M6*1.0P	10	2	4.1
BT50-SF12-160	261.8	160	122	38	37	47	72	100	24	32	38	12	M10*1.0P	M6*1.0P	15	3	4.3
BT50-SF12-200	301.8	200	162	38	37	47	107	100	24	32	39	12	M10*1.0P	M6*1.0P	15	3	5.9
BT50-SF12-250	351.8	250	212	38	37	47	157	100	24	32	39	12	M10*1.0P	M6*1.0P	15	3	7.5
BT50-SF12-300	401.8	300	262	38	37	47	207	100	24	32	39	12	M10*1.0P	M6*1.0P	15	3	9.1
BT50-SF14-100	201.8	100	62	38	37	47	\	100	27	34	\	14	M10*1.0P	M6*1.0P	4	1	3.9
BT50-SF14-120	221.8	120	82	38	37	47	\	100	27	34	\	14	M10*1.0P	M6*1.0P	10	2	4.1
BT50-SF14-160	261.8	160	122	38	37	47	67	100	27	34	41	14	M10*1.0P	M6*1.0P	15	3	4.3
BT50-SF14-200	301.8	200	162	38	37	47	107	100	27	34	41	14	M10*1.0P	M6*1.0P	15	3	5.9
BT50-SF14-250	351.8	250	212	38	37	47	157	100	27	34	41	14	M10*1.0P	M6*1.0P	15	3	7.5
BT50-SF14-300	401.8	300	262	38	26	36	207	100	27	34	41	14	M10*1.0P	M6*1.0P	15	3	9.1

BT50-SF热缩刀柄 (4.5度标准型)


BT50-SF SHRINK FIT CHUCK (4.5° STANDARD VERSION)



Model	L	L1	L2	L3	L4	L5	L6	D	D1	D2	D3	d	T	T1	R	FIG	KGS
BT50-SF16-100	201.8	100	62	38	40	50	\	100	27	34	\	16	M12*1.0P	M6*1.0P	4	1	3.9
BT50-SF16-120	221.8	120	82	38	40	50	\	100	27	34	\	16	M12*1.0P	M6*1.0P	10	2	4.1
BT50-SF16-160	261.8	160	122	38	40	50	67	100	27	34	41	16	M12*1.0P	M6*1.0P	15	3	4.3
BT50-SF16-200	301.8	200	162	38	40	50	107	100	27	34	41	16	M12*1.0P	M6*1.0P	15	3	5.9
BT50-SF16-250	351.8	250	212	38	40	50	157	100	27	34	41	16	M12*1.0P	M6*1.0P	15	3	7.5
BT50-SF16-300	401.8	300	262	38	40	50	207	100	27	34	41	16	M5*0.8P	M6*1.0P	15	3	9.1
BT50-SF18-100	201.8	100	62	38	40	50	\	100	33	42	\	18	M12*1.0P	M6*1.0P	3	1	4.1
BT50-SF18-120	221.8	120	82	38	40	50	\	100	33	42	\	18	M12*1.0P	M6*1.0P	4	2	4.2
BT50-SF18-160	261.8	160	122	38	40	50	77	100	33	42	47	18	M12*1.0P	M6*1.0P	12	3	4.4
BT50-SF18-200	301.8	200	162	38	40	50	107	100	33	42	50	18	M12*1.0P	M6*1.0P	12	3	6.1
BT50-SF18-250	351.8	250	212	38	40	50	157	100	33	42	50	18	M12*1.0P	M6*1.0P	12	3	7.8
BT50-SF18-300	401.8	300	262	38	40	50	207	100	27	34	50	18	M5*0.8P	M6*1.0P	12	3	9.4
BT50-SF20-100	201.8	100	62	38	42	52	\	100	33	42	\	20	M16*1.0P	M6*1.0P	3	1	4.1
BT50-SF20-120	221.8	120	82	38	42	52	\	100	33	42	\	20	M16*1.0P	M6*1.0P	4	2	4.2
BT50-SF20-160	261.8	160	122	38	42	52	77	100	33	42	47	20	M16*1.0P	M6*1.0P	12	3	4.4
BT50-SF20-200	301.8	200	162	38	42	52	107	100	33	42	50	20	M16*1.0P	M6*1.0P	12	3	6.1
BT50-SF20-250	351.8	250	212	38	42	52	157	100	33	42	50	20	M16*1.0P	M6*1.0P	12	3	7.8
BT50-SF20-300	401.8	300	262	38	42	52	207	100	33	42	50	18	M5*0.8P	M6*1.0P	12	3	9.4
BT50-SF25-110	211.8	110	72	38	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	1	1	4.5
BT50-SF25-120	221.8	120	82	38	48	58	\	100	44	53	\	25	M16*1.0P	M6*1.0P	3	2	4.7
BT50-SF25-160	261.8	160	122	38	48	58	79	100	44	53	57	25	M16*1.0P	M6*1.0P	8	3	5.1
BT50-SF25-200	301.8	200	162	38	48	58	107	100	44	53	61	25	M16*1.0P	M6*1.0P	8	3	6.1
BT50-SF25-250	351.8	250	212	38	48	58	157	100	44	53	61	25	M16*1.0P	M6*1.0P	8	3	7.8
BT50-SF25-300	401.8	300	262	38	48	58	207	100	44	53	61	25	M16*1.0P	M6*1.0P	8	3	9.7
BT50-SF32-110	211.8	110	72	38	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	1	1	4.5
BT50-SF32-120	221.8	120	82	38	52	62	\	100	44	53	\	32	M16*1.0P	M6*1.0P	3	2	4.7
BT50-SF32-160	261.8	160	122	38	52	62	79	100	44	53	57	32	M16*1.0P	M6*1.0P	8	3	5.1
BT50-SF32-200	301.8	200	162	38	52	62	107	100	44	53	61	32	M16*1.0P	M6*1.0P	8	3	6.1
BT50-SF32-250	351.8	250	212	38	52	62	157	100	44	53	61	32	M16*1.0P	M6*1.0P	8	3	7.8
BT50-SF32-300	401.8	300	262	38	52	62	207	100	44	53	61	32	M16*1.0P	M6*1.0P	8	3	9.7

BT30-SF热缩刀柄 (3度细长型)


BT30-SF SHRINK FIT CHUCK (3° SLENDER TYPE)



Model	L	L1	L2	L3	L4	L5	D	D1	D2	d	T	R	FIG	KGS
BT30-SFS03-80	128.4	80	58	22	12	\	46	7	13	3	\	5	1	0.6
BT30-SFS03-120	168.4	120	98	22	12	\	46	7	17	3	\	5	2	0.9
BT30-SFS04-80	128.4	80	58	22	16	\	46	8	14	4	\	5	1	0.6
BT30-SFS04-120	168.4	120	98	22	16	\	46	8	18	4	\	5	2	0.9
BT30-SFS05-80	128.4	80	58	22	18	\	46	9	15	5	\	5	1	0.6
BT30-SFS05-120	168.4	120	98	22	18	\	46	9	19	5	\	5	2	0.9
BT30-SFS06-80	128.4	80	58	22	26	36	46	10	16	6	M5*0.8P	5	1	0.7
BT30-SFS06-120	168.4	120	98	22	26	36	46	10	20	6	M5*0.8P	5	2	1
BT30-SFS08-80	128.4	80	58	22	26	36	46	12	16	8	M6*1.0P	5	1	0.7
BT30-SFS08-120	168.4	120	98	22	26	36	46	12	20	8	M6*1.0P	5	2	1
BT30-SFS10-80	128.4	80	58	22	32	42	46	14	16	10	M8*1.0P	5	1	0.8
BT30-SFS10-120	168.4	120	98	22	32	42	46	14	20	10	M8*1.0P	5	2	1.1
BT30-SFS12-80	128.4	80	58	22	37	47	46	16	22	12	M10*1.0P	5	1	0.8
BT30-SFS12-120	168.4	120	98	22	37	47	46	16	26	12	M10*1.0P	5	2	1.1
BT30-SFS14-80	128.4	80	58	22	37	47	46	18	24	14	M10*1.0P	5	1	1
BT30-SFS14-120	168.4	120	98	22	37	47	46	18	28	14	M10*1.0P	5	2	1.2
BT30-SFS16-80	128.4	80	58	22	40	50	46	22	28	16	M12*1.0P	5	1	1
BT30-SFS16-120	168.4	120	98	22	40	50	46	22	31	16	M12*1.0P	5	2	1.2

BT40-SF热缩刀柄 (3度细长型)


BT40-SF SHRINK FIT CHUCK (3° SLENDER TYPE)



Model	L	L1	L2	L3	L4	D	D1	D2	d	R	FIG	KGS
BT40-SFS03-90	155.4	90	63	27	12	63	9	15	3	10	1	1
BT40-SFS03-120	185.4	120	93	27	12	63	9	16	3	10	2	1.1
BT40-SFS03-160	225.4	160	133	27	12	63	9	19	3	10	2	1.2
BT40-SFS03-200	265.4	200	173	27	12	63	9	22	3	10	2	1.2
BT40-SFS04-90	155.4	90	63	27	16	63	10	16	4	10	1	1
BT40-SFS04-120	185.4	120	93	27	16	63	10	17	4	10	2	1.1
BT40-SFS04-160	225.4	160	133	27	16	63	10	20	4	10	2	1.2
BT40-SFS04-200	265.4	200	173	27	16	63	10	23	4	10	2	1.3
BT40-SFS05-90	155.4	90	63	27	18	63	11	17	5	10	1	1.1
BT40-SFS05-120	185.4	120	93	27	18	63	11	18	5	10	2	1.1
BT40-SFS05-160	225.4	160	133	27	18	63	11	21	5	10	2	1.2
BT40-SFS05-200	265.4	200	173	27	18	63	11	24	5	10	2	1.3

BT40-SF热缩刀柄 (3度细长型)


BT40-SF SHRINK FIT CHUCK (3° SLENDER TYPE)



Model	L	L1	L2	L3	L4	L5	D	D1	D2	d	T	R	FIG	KGS
BT40-SFS06-90	155.4	90	63	27	26	36	63	12	18	6	M5*0.8P	10	1	1.1
BT40-SFS06-120	185.4	120	93	27	26	36	63	12	21	6	M5*0.8P	10	2	1.1
BT40-SFS06-160	225.4	160	133	27	26	36	63	12	24	6	M5*0.8P	10	2	1.2
BT40-SFS06-200	265.4	200	173	27	26	36	63	12	27	6	M5*0.8P	10	2	1.3
BT40-SFS06-250	315.4	250	223	27	26	36	63	12	?	6	M5*0.8P	10	2	1.4
BT40-SFS08-90	155.4	90	63	27	26	36	63	14	20	8	M6*1.0P	10	1	1.1
BT40-SFS08-120	185.4	120	93	27	26	36	63	14	23	8	M6*1.0P	10	2	1.2
BT40-SFS08-160	225.4	160	133	27	26	36	63	14	26	8	M6*1.0P	10	2	1.3
BT40-SFS08-200	265.4	200	173	27	26	36	63	14	29	8	M6*1.0P	10	2	1.4
BT40-SFS08-250	315.4	250	223	27	26	36	63	14	?	8	M6*1.0P	10	2	1.5
BT40-SFS10-90	155.4	90	63	27	32	42	63	16	22	10	M8*1.0P	10	1	1.1
BT40-SFS10-120	185.4	120	93	27	32	42	63	16	25	10	M8*1.0P	10	2	1.2
BT40-SFS10-160	225.4	160	133	27	32	42	63	16	28	10	M8*1.0P	10	2	1.3
BT40-SFS10-200	265.4	200	173	27	32	42	63	16	31	10	M8*1.0P	10	2	1.5
BT40-SFS10-250	315.4	250	223	27	32	42	63	16	?	10	M8*1.0P	10	2	1.7
BT40-SFS12-90	155.4	90	63	27	37	47	63	18	24	12	M10*1.0P	10	1	1.1
BT40-SFS12-120	185.4	120	93	27	37	47	63	18	27	12	M10*1.0P	10	2	1.2
BT40-SFS12-160	225.4	160	133	27	37	47	63	18	30	12	M10*1.0P	10	2	1.4
BT40-SFS12-200	265.4	200	173	27	37	47	63	18	33	12	M10*1.0P	10	2	1.6
BT40-SFS12-250	315.4	250	223	27	37	47	63	18	?	12	M10*1.0P	10	2	1.8

BT40-SF热缩刀柄 (3度细长型)


BT40-SF SHRINK FIT CHUCK (3° SLENDER TYPE)



Model	L	L1	L2	L3	L4	L5	D	D1	D2	d	T	R	FIG	KGS
BT40-SFS14-90	155.4	90	63	27	37	47	63	20	26	14	M10*1.0P	10	1	1.1
BT40-SFS14-120	185.4	120	93	27	37	47	63	20	29	14	M10*1.0P	10	2	1.3
BT40-SFS14-160	225.4	160	133	27	37	47	63	20	32	14	M10*1.0P	10	2	1.5
BT40-SFS14-200	265.4	200	173	27	37	47	63	20	35	14	M10*1.0P	10	2	1.7
BT40-SFS14-250	315.4	250	223	27	37	47	63	20	?	14	M10*1.0P	10	2	1.9
BT40-SFS16-90	155.4	90	63	27	40	50	63	22	28	16	M12*1.0P	10	1	1.2
BT40-SFS16-120	185.4	120	93	27	40	50	63	22	31	16	M12*1.0P	10	2	1.3
BT40-SFS16-160	225.4	160	133	27	40	50	63	22	34	16	M12*1.0P	10	2	1.5
BT40-SFS16-200	265.4	200	173	27	40	50	63	22	37	16	M12*1.0P	10	2	1.8
BT40-SFS16-250	315.4	250	223	27	40	50	63	22	?	16	M12*1.0P	10	2	2
BT40-SFS18-90	155.4	90	63	27	40	50	63	24	30	18	M12*1.0P	10	1	1.2
BT40-SFS18-120	185.4	120	93	27	40	50	63	24	33	18	M12*1.0P	10	2	1.3
BT40-SFS18-160	225.4	160	133	27	40	50	63	24	36	18	M12*1.0P	10	2	1.6
BT40-SFS18-200	265.4	200	173	27	40	50	63	24	39	18	M12*1.0P	10	2	1.9
BT40-SFS18-250	315.4	250	223	27	40	50	63	24	?	18	M12*1.0P	10	2	2.1
BT40-SFS20-90	155.4	90	63	27	42	52	63	26	32	20	M16*1.0P	10	1	1.2
BT40-SFS20-120	185.4	120	93	27	42	52	63	26	35	20	M16*1.0P	10	2	1.3
BT40-SFS20-160	225.4	160	133	27	42	52	63	26	38	20	M16*1.0P	10	2	1.7
BT40-SFS20-200	265.4	200	173	27	42	52	63	26	41	20	M16*1.0P	10	2	2
BT40-SFS20-250	315.4	250	223	27	42	52	63	26	?	20	M16*1.0P	10	2	2.2

BT50-SF热缩刀柄 (3度细长型)


BT50-SF SHRINK FIT CHUCK (3° SLENDER TYPE)



Model	L	L1	L2	L3	L4	L5	D	D1	D2	d	T	R	FIG	KGS
BT50-SFS06-100	201.8	100	62	38	26	36	100	12	18	6	M5*0.8P	10	1	3.8
BT50-SFS06-120	221.8	120	82	38	26	36	100	12	20	6	M5*0.8P	10	1	3.9
BT50-SFS06-160	162.8	160	122	38	26	36	100	12	24	6	M5*0.8P	10	2	4.2
BT50-SFS06-200	301.8	200	162	38	26	36	100	12	28	6	M5*0.8P	10	2	5.8
BT50-SFS06-250	351.8	250	212	38	26	36	100	12	?	6	M5*0.8P	10	2	7.2
BT50-SFS08-100	201.8	100	62	38	26	36	100	14	20	8	M6*1.0P	10	1	3.8
BT50-SFS08-120	221.8	120	82	38	26	36	100	14	22	8	M6*1.0P	10	1	3.9
BT50-SFS08-160	162.8	160	122	38	26	36	100	14	26	8	M6*1.0P	10	2	4.2
BT50-SFS08-200	301.8	200	162	38	26	36	100	14	30	8	M6*1.0P	10	2	5.8
BT50-SFS08-250	351.8	250	212	38	26	36	100	14	?	8	M6*1.0P	10	2	7.2
BT50-SFS10-100	201.8	100	62	38	32	42	100	16	22	10	M8*1.0P	10	1	3.9
BT50-SFS10-120	221.8	120	82	38	32	42	100	16	24	10	M8*1.0P	10	1	4.1
BT50-SFS10-160	162.8	160	122	38	32	42	100	16	28	10	M8*1.0P	10	2	4.3
BT50-SFS10-200	301.8	200	162	38	32	42	100	16	32	10	M8*1.0P	10	2	5.9
BT50-SFS10-250	351.8	250	212	38	32	42	100	16	?	10	M8*1.0P	10	2	7.6
BT50-SFS12-100	201.8	100	62	38	37	47	100	18	24	12	M10*1.0P	10	1	3.9
BT50-SFS12-120	221.8	120	82	38	37	47	100	18	26	12	M10*1.0P	10	1	4.1
BT50-SFS12-160	162.8	160	122	38	37	47	100	18	30	12	M10*1.0P	10	2	4.3
BT50-SFS12-200	301.8	200	162	38	37	47	100	18	34	12	M10*1.0P	10	2	5.9
BT50-SFS12-250	351.8	250	212	38	37	47	100	18	?	12	M10*1.0P	10	2	7.6

BT50-SF热缩刀柄 (3度细长型)


BT50-SF SHRINK FIT CHUCK (3° SLENDER TYPE)



Model	L	L1	L2	L3	L4	L5	D	D1	D2	d	T	R	FIG	KGS
BT50-SFS14-100	201.8	100	62	38	37	47	100	20	26	14	M10*1.0P	10	1	3.9
BT50-SFS14-120	221.8	120	82	38	37	47	100	20	28	14	M10*1.0P	10	1	4.1
BT50-SFS14-160	162.8	160	122	38	37	47	100	20	32	14	M10*1.0P	10	2	4.3
BT50-SFS14-200	301.8	200	162	38	37	47	100	20	36	14	M10*1.0P	10	2	5.9
BT50-SFS14-250	351.8	250	212	38	37	47	100	20	?	14	M10*1.0P	10	2	7.6
BT50-SFS16-100	201.8	100	62	38	40	50	100	22	28	16	M12*1.0P	10	1	4
BT50-SFS16-120	221.8	120	82	38	40	50	100	22	30	16	M12*1.0P	10	1	4.2
BT50-SFS16-160	162.8	160	122	38	40	50	100	22	34	16	M12*1.0P	10	2	4.4
BT50-SFS16-200	301.8	200	162	38	40	50	100	22	38	16	M12*1.0P	10	2	6
BT50-SFS16-250	351.8	250	212	38	40	50	100	22	?	16	M12*1.0P	10	2	7.7
BT50-SFS18-100	201.8	100	62	38	40	50	100	24	30	18	M12*1.0P	10	1	4
BT50-SFS18-120	221.8	120	82	38	40	50	100	24	32	18	M12*1.0P	10	1	4.2
BT50-SFS18-160	162.8	160	122	38	40	50	100	24	36	18	M12*1.0P	10	2	4.4
BT50-SFS18-200	301.8	200	162	38	40	50	100	24	40	18	M12*1.0P	10	2	6
BT50-SFS18-250	351.8	250	212	38	40	50	100	24	?	18	M12*1.0P	10	2	7.7
BT50-SFS20-100	201.8	100	62	38	42	52	100	26	32	20	M16*1.0P	10	1	4.1
BT50-SFS20-120	221.8	120	82	38	42	52	100	26	34	20	M16*1.0P	10	1	4.3
BT50-SFS20-160	162.8	160	122	38	42	52	100	26	38	20	M16*1.0P	10	2	4.4
BT50-SFS20-200	301.8	200	162	38	42	52	100	26	42	20	M16*1.0P	10	2	6.1
BT50-SFS20-250	351.8	250	212	38	42	52	100	26	?	20	M16*1.0P	10	2	7.8

HSK63A-SFK热缩刀柄(4.5度端面出水型)


HSK63A-SFK SHRINK FIT CHUCK (4.5° COOLANT TYPE)



Model	d	D	D1	L	L2	L1	N	G
HSK63A-SF03-80K	3	15	20	80	54	\	\	\
HSK63A-SF04-80K	4	15	20	80	54	\	\	\
HSK63A-SF05-80K	5	15	20	80	54	\	\	\
HSK63A-SF06-80K	6	21	26.5	80	54	36	10	M5
HSK63A-SF08-80K	8	21	26.5	80	54	36	10	M6
HSK63A-SF10-85K	10	24	30.5	85	59	42	10	M8*1
HSK63A-SF12-90K	12	24	31	90	64	47	10	M10*1
HSK63A-SF14-90K	14	27	34	90	64	47	10	M10*1
HSK63A-SF16-95K	16	27	34	95	69	50	10	M12*1
HSK63A-SF18-95K	18	33	41	95	69	50	10	M12*1
HSK63A-SF20-100K	20	33	42	100	74	52	10	M16*1
HSK63A-SF25-115K	25	44	52.5	115	89	58	10	M16*1
HSK63A-SF32-120K	32	44	52.5	120	94	62	10	M16*1
HSK63A-SF03-120K	3	15	20	120	94	\	\	\
HSK63A-SF04-120K	4	15	20	120	94	\	\	\
HSK63A-SF05-120K	5	15	20	120	94	\	\	\
HSK63A-SF06-120K	6	21	27	120	94	36	10	M5
HSK63A-SF08-120K	8	21	27	120	94	36	10	M6
HSK63A-SF10-120K	10	24	32	120	94	42	10	M8*1
HSK63A-SF12-120K	12	24	32	120	94	47	10	M10*1
HSK63A-SF14-120K	14	27	34	120	94	47	10	M10*1
HSK63A-SF16-120K	16	27	34	120	94	50	10	M12*1
HSK63A-SF18-120K	18	33	42	120	94	50	10	M12*1
HSK63A-SF20-120K	20	33	42	120	94	52	10	M16*1
HSK63A-SF25-120K	25	44	52.5	120	94	58	10	M16*1

HSK63A-SFK热缩刀柄(4.5度端面出水型)


HSK63A-SFK SHRINK FIT CHUCK (4.5° COOLANT TYPE)



Model	d	D	D1	L	L2	L1	N	G
HSK63A-SF03-160K	3	15	25	160	134	\	\	\
HSK63A-SF04-160K	4	15	25	160	134	\	\	\
HSK63A-SF05-160K	5	15	25	160	134	\	\	\
HSK63A-SF06-160K	6	21	32	160	134	36	10	M5
HSK63A-SF08-160K	8	21	32	160	134	36	10	M6
HSK63A-SF10-160K	10	24	34	160	134	42	10	M8*1
HSK63A-SF12-160K	12	24	34	160	134	47	10	M10*1
HSK63A-SF14-160K	14	27	42	160	134	47	10	M10*1
HSK63A-SF16-160K	16	27	42	160	134	50	10	M12*1
HSK63A-SF18-160K	18	33	51	160	134	50	10	M12*1
HSK63A-SF20-160K	20	33	51	160	134	52	10	M16*1
HSK63A-SF25-160K	25	44	52.5	160	134	58	10	M16*1
HSK63A-SF32-160K	32	44	52.5	160	134	62	10	M16*1

HSK100A-SFK热缩刀柄(4.5度端面出水型)


HSK100A-SFK SHRINK FIT CHUCK (4.5° COOLANT TYPE)



Model	d	D	D1	L	L2	L1	N	G
HSK100A-SF06-85K	6	21	26.5	85	56	36	10	M5
HSK100A-SF08-85K	8	21	26.5	85	56	36	10	M6
HSK100A-SF10-90K	10	24	30.5	90	61	42	10	M8*1
HSK100A-SF12-95K	12	24	31	95	66	47	10	M10*1
HSK100A-SF14-95K	14	27	34	95	66	47	10	M10*1
HSK100A-SF16-100K	16	27	34	100	71	50	10	M12*1
HSK100A-SF18-100K	18	33	42	100	71	50	10	M12*1
HSK100A-SF20-105K	20	33	42	105	76	52	10	M16*1
HSK100A-SF25-115K	25	44	53	115	86	58	10	M16*1
HSK100A-SF32-120K	32	44	53	120	91	62	10	M16*1
HSK100A-SF06-120K	6	21	27	120	91	36	10	M5
HSK100A-SF08-120K	8	21	27	120	91	36	10	M6
HSK100A-SF10-120K	10	24	32	120	91	42	10	M8*1
HSK100A-SF12-120K	12	24	32	120	91	47	10	M10*1
HSK100A-SF14-120K	14	27	34	120	91	47	10	M10*1
HSK100A-SF16-120K	16	27	34	120	91	50	10	M12*1
HSK100A-SF18-120K	18	33	42	120	91	50	10	M12*1
HSK100A-SF20-120K	20	33	42	120	91	52	10	M16*1
HSK100A-SF25-120K	25	44	53	120	91	58	10	M16*1
HSK100A-SF06-160K	6	21	32	160	131	36	10	M5
HSK100A-SF08-160K	8	21	32	160	131	36	10	M6
HSK100A-SF10-160K	10	24	34	160	131	42	10	M8*1
HSK100A-SF12-160K	12	24	34	160	131	47	10	M10*1
HSK100A-SF14-160K	14	27	42	160	131	47	10	M10*1
HSK100A-SF16-160K	16	27	42	160	131	50	10	M12*1
HSK100A-SF18-160K	18	33	51	160	131	50	10	M12*1
HSK100A-SF20-160K	20	33	51	160	131	52	10	M16*1
HSK100A-SF25-160K	25	44	60	160	131	58	10	M16*1
HSK100A-SF32-160K	32	44	60	160	131	62	10	M16*1

BT40-SFK热缩刀柄(4.5度端面出水型)

BT40-SFK SHRINK FIT CHUCK (4.5° COOLANT TYPE)



Model	d	D	D1	L	L2	L1	N	G
BT40-SF03-80K	3	15	20	80	53	\	\	\
BT40-SF04-80K	4	15	20	80	53	\	\	\
BT40-SF05-80K	5	15	20	80	53	\	\	\
BT40-SF06-90K	6	21	27	90	63	36	10	M5
BT40-SF08-90K	8	21	27	90	63	36	10	M6
BT40-SF10-90K	10	24	32	90	63	42	10	M8*1
BT40-SF12-90K	12	24	32	90	63	47	10	M10*1
BT40-SF14-90K	14	27	34	90	63	47	10	M10*1
BT40-SF16-90K	16	27	34	90	63	50	10	M12*1
BT40-SF18-90K	18	33	42	90	63	50	10	M12*1
BT40-SF20-90K	20	33	42	90	63	52	10	M16*1
BT40-SF25-100K	25	44	53	100	73	58	10	M16*1
BT40-SF32-100K	32	44	53	100	73	62	10	M16*1
BT40-SF06-120K	6	21	27	120	93	36	10	M5
BT40-SF08-120K	8	21	27	120	93	36	10	M6
BT40-SF10-120K	10	24	32	120	93	42	10	M8*1
BT40-SF12-120K	12	24	32	120	93	47	10	M10*1
BT40-SF14-120K	14	27	34	120	93	47	10	M10*1
BT40-SF16-120K	16	27	34	120	93	50	10	M12*1
BT40-SF18-120K	18	33	42	120	93	50	10	M12*1
BT40-SF20-120K	20	33	42	120	93	52	10	M16*1
BT40-SF25-120K	25	44	53	120	93	58	10	M16*1
BT40-SF32-120K	32	44	53	120	93	62	10	M16*1
BT40-SF06-160K	6	21	32	160	133	36	10	M5
BT40-SF08-160K	8	21	32	160	133	36	10	M6
BT40-SF10-160K	10	24	34	160	133	42	10	M8*1
BT40-SF12-160K	12	24	34	160	133	47	10	M10*1
BT40-SF14-160K	14	27	42	160	133	47	10	M10*1
BT40-SF16-160K	16	27	42	160	133	50	10	M12*1
BT40-SF18-160K	18	33	51	160	133	50	10	M12*1
BT40-SF20-160K	20	33	51	160	133	52	10	M16*1
BT40-SF25-160K	25	44	53	160	133	58	10	M16*1
BT40-SF32-160K	32	44	53	160	133	62	10	M16*1